

and 1018-0094. The Service may not conduct or sponsor, and you are not required to respond to, a collection of information unless it displays a currently valid OMB control number. We are collecting this information to provide information necessary to evaluate permit applications. We will use this information to review permit applications and make decisions, according to criteria established in various Federal wildlife conservation statutes and regulations, on the issuance, suspension, revocation, or denial of permits. You must respond to obtain or retain a permit. We estimate the public reporting burden for these reporting requirements to vary from 2 to 2½ hours per response, including time for reviewing instructions, gathering and maintaining data, and completing and reviewing the forms. Direct comments regarding the burden estimate or any other aspect of these reporting requirements to the Service Information Collection Control Officer, MS-222 ARLSQ, U.S. Fish and Wildlife Service, Washington, DC 20240, or the Office of Management and Budget, Paperwork Reduction Project (1018-0093/0094), Washington, DC 20603.

[63 FR 52635, Oct. 1, 1998. Redesignated at 72 FR 48446, Aug. 23, 2007]

Subpart B—Lists

§ 17.11 Endangered and threatened wildlife.

(a) The list in this section contains the names of all species of wildlife which have been determined by the Services to be Endangered or Threatened. It also contains the names of species of wildlife treated as Endangered or Threatened because they are sufficiently similar in appearance to Endangered or Threatened species (see § 17.50 *et seq.*).

(b) The columns entitled "Common Name," "Scientific Name," and "Vertebrate Population Where Endangered or Threatened" define the species of wildlife within the meaning of the Act. Thus, differently classified geographic populations of the same vertebrate subspecies or species shall be identified by their differing geographic boundaries, even though the other two columns are identical. The

term "Entire" means that all populations throughout the present range of a vertebrate species are listed. Although common names are included, they cannot be relied upon for identification of any specimen, since they may vary greatly in local usage. The Services shall use the most recently accepted scientific name. In cases in which confusion might arise, a synonym(s) will be provided in parentheses. The Services shall rely to the extent practicable on the *International Code of Zoological Nomenclature*.

(c) In the "Status" column the following symbols are used: "E" for Endangered, "T" for Threatened, and "E [or T] (S/A)" for similarity of appearance species.

(d) The other data in the list are non-regulatory in nature and are provided for the information of the reader. In the annual revision and compilation of this title, the following information may be amended without public notice: the spelling of species' names, historical range, footnotes, references to certain other applicable portions of this title, synonyms, and more current names. In any of these revised entries, neither the species, as defined in paragraph (b) of this section, nor its status may be changed without following the procedures of part 424 of this title.

(e) The "historic range" indicates the known general distribution of the species or subspecies as reported in the current scientific literature. The present distribution may be greatly reduced from this historic range. This column does not imply any limitation on the application of the prohibitions in the Act or implementing rules. Such prohibitions apply to all individuals of the species, wherever found.

(f)(1) A footnote to the FEDERAL REGISTER publication(s) listing or reclassifying a species is indicated under the column "When listed." Footnote numbers to §§ 17.11 and 17.12 are in the same numerical sequence, since plants and animals may be listed in the same FEDERAL REGISTER document. That document, at least since 1973, includes a statement indicating the basis for the listing, as well as the effective date(s) of said listing.

§ 17.11

(2) The “Special rules” and “Critical habitat” columns provide a cross reference to other sections in parts 17, 222, 226, or 227. The “Special rules” column will also be used to cite the special rules that describe experimental populations and determine if they are essential or nonessential. Separate listing will be made for experimental populations, and the status column will include the following symbols: “XE” for an essential experimental population and “XN” for a nonessential experimental population. The term “NA” (not applicable) appearing in either of these two columns indicates that there are no special rules and/or critical habitat for that particular species. However, all other appropriate rules in parts 17, 217 through 227, and 402 still apply to that species. In addition, there may be other rules in this title that relate to such wildlife, e.g., port-of-entry requirements. It is not intended that the references in the “Special rules”

50 CFR Ch. I (10-1-10 Edition)

column list all the regulations of the two Services which might apply to the species or to the regulations of other Federal agencies or State or local governments.

(g) The listing of a particular taxon includes all lower taxonomic units. For example, the genus *Hylobates* (gibbons) is listed as Endangered throughout its entire range (China, India, and SE Asia); consequently, all species, subspecies, and populations of that genus are considered listed as Endangered for the purposes of the Act. In 1978 (43 FR 6230–6233) the species *Haliaeetus leucocephalus* (bald eagle) was listed as Threatened in “USA (WA, OR, MN, WI, MI)” rather than its entire population; thus, all individuals of the bald eagle found in those five States are considered listed as Threatened for the purposes of the Act.

(h) The “List of Endangered and Threatened Wildlife” is provided below:

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Common name	Species	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
MAMMALS								
Addax	<i>Addax nasomaculatus</i>		North Africa	Entire	E	3	NA	NA
Aho, lowland	<i>Bubalus depressicornis</i>		Indonesia	do	E	15	NA	NA
Aho, mountain	<i>Bubalus quarlesi</i>		do	do	E	15	NA	NA
Antelope, giant sable	<i>Hippotragus niger varianii</i>		Angola	do	E	NA	NA
Antelope, Tibetan	<i>Pantholops hodgsonii</i>		China, India, Nepal	do	E	15, 475	NA	NA
Argali	<i>Ovis ammon</i>		Afghanistan, China, India, Kazakhstan, Kyrgyzstan, Mongolia, Nepal, Pakistan, Russia, Tajikistan, Uzbekistan.	Entire except Kyrgyzstan, Mongolia, and Tajikistan.	E	15, 475	NA	NA
Do	<i>Priodontes maximus</i> do	Kyrgyzstan, Mongolia, and Tajikistan	T	15, 475	NA	17,40(i)
Armadillo, giant	<i>Chlamyphorus truncatus</i>		Entire	Entire	E	15	NA	NA
Armadillo, pink fairy	<i>Equis asinus</i>		Argentina	do	E	3	NA	NA
Ass, African wild	<i>Equus hemionus</i>		Somalia, Sudan, Ethiopia	do	E	22	NA	NA
Ass, Asian wild	<i>Equus hemionus</i> (=entire genus)		Southwestern and Central Asia	do	E	3	NA	NA
Avahi	<i>Avahi laniger</i>		Malagasy Republic (=Madagascar).	do	E	3	NA	NA
Aye-aye	<i>Daubentonnia madagascariensis</i>		Indonesia	do	E	3	NA	NA
Babirusa	<i>Babirousa babyrussa</i>		Ethiopia	do	E	15	NA	NA
Baboon, gelada	<i>Theropithecus gelada</i>		Australia	do	T	16	NA	17,40(c)
Bandicoot, barred	<i>Perameles bougainvillae</i> do	do	E	4	NA	NA
Bandicoot, desert	<i>Perameles eremicana</i> do	do	E	6	NA	NA
Bandicoot, lesser rabbit	<i>Macrotis leucura</i> do	do	E	4	NA	NA
Bandicoot, pig-footed	<i>Chaeropus ecaudatus</i> do	do	E	4	NA	NA
Bandicoot, rabbit	<i>Macrotis lagotis</i> do	do	E	4	NA	NA
Banteng	<i>Bos javanicus</i> do	do	E	3	NA	NA
Bat, Bulmer's fruit (flying fox)	<i>Aproteles bulmerae</i> do	do	E	139	NA	NA
Bat, bumblebee	<i>Craseonycteris thonggongyai</i> do	do	E	139	NA	NA
Bat, gray	<i>Myotis griseescens</i>		Central and southeastern U.S.A. do	E	13	NA	NA
Bat, Hawaiian hoary	<i>Lasiurus cinereus semotus</i>		U.S.A. (HI)	do	E	2	NA	NA
Bat, Indiana	<i>Myotis sodalis</i>		Eastern and Midwestern U.S.A.	do	E	1	17,95(a)	NA
Bat, lesser long-nosed	<i>Leptonycteris curasoae</i>		U.S.A. (AZ, NM), Mexico, Central America.	do	E	336	NA	NA
Bat, little Mariana fruit	<i>Pteropus tokudae</i>		Western Pacific Ocean—U.S.A. (Guam).	do	E	156	NA	NA
Fruit Bat, Mariana (=fanili, Mariana flying fox)	<i>Pteropus mariannus mariannus</i>		Western Pacific Ocean—U.S.A. (GU, MP).	do	T	156	Guam	NA
Bat, Mexican long-nosed	<i>Leptonycteris nivalis</i>		U.S.A. (NM, TX), Mexico, Central America.	do	E	336	NA	NA
Bat, Ozark big-eared	<i>Corynorhinus (=Plecotus) townsendii</i>		U.S.A. (MO, OK, AR)	do	E	85	NA	NA
Bat, Rodrigues fruit (flying fox) ...	<i>Pteropus rodricensis</i>		Indian Ocean—Rodrigues Island.	do	E	139	NA	NA

§ 17.11

50 CFR Ch. I (10-1-10 Edition)

Species	Common name	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Bat, Singapore roundleaf horseshoe.	<i>Hipposideros rideleyi</i>	<i>Hipposideros rideleyi</i>	Malaysiado	E	139	NA	NA
Bat, Virginia big-eared	<i>Corynorhinus (=Plecotus) townsendii virginianus</i> .	<i>Corynorhinus (=Plecotus) townsendii virginianus</i> .	U.S.A. (KY, NC, WV, VA)do	E	85	17.95(a)	NA
Bear, American black	<i>Ursus americanus</i>	<i>Ursus americanus</i>	North America	U.S.A. (LA, all counties; MS, TX, only within the historic county range of the Louisiana black bear). Entire	T(SA)	456	NA	17.40(i)
Bear, Baluchistan	<i>Ursus thibetanus gedrosianus</i>	<i>Ursus thibetanus gedrosianus</i>	Iran, Pakistando	E	233	NA	NA
Bear, brown	<i>Ursus arctos arctos</i>	<i>Ursus arctos arctos</i>	Palaearticdo	E	15, 15A	NA	NA
Do	<i>Ursus arctos pruinosus</i>	<i>Ursus arctos pruinosus</i>	China (Tibet)do	E	15	NA	NA
Bear, grizzly	<i>Ursus arctos horribilis</i>	<i>Ursus arctos horribilis</i>	North Americado	T	1, 2D, 9, 759	NA	17.40(b)
Do	<i>Ursus americanus luteolus</i>	<i>Ursus americanus luteolus</i>do	U.S.A. (LA—all counties; MS—all counties south of or touching a line from Greenville, Washington County to Meridian, Lauderdale County, TX—all counties east of or touching a line from Linden, Cass County, SW to Bryan, Brazos County, thence SSW to Rockport, Aransas County). Holarctic	XN	706	NA	17.84(i)
Bear, Louisiana black	<i>Ursus americanus luteolus</i>	<i>Ursus americanus luteolus</i>dodo	T	456	17.95(a)	17.40(i)
Bear, Mexican grizzly	<i>Ursus arctos</i>	<i>Ursus arctos</i>	U.S.A. (AK)	Mexico	E	3	NA	NA
Bear, polar	<i>Ursus maritimus</i>	<i>Ursus maritimus</i>	Canada, Russia, Denmark (Greenland), Norway.do	T	NA	17.40(q)
Beaver	<i>Castor fiber birulai</i>	<i>Castor fiber birulai</i>	<i>Bison bison athabascae</i>	Canada	E	15	NA	NA
Bison, wood	<i>Lynx (=Felis) rutilus esquinalpae</i>	<i>Lynx (=Felis) rutilus esquinalpae</i>	<i>Bison bison athabascae</i>	Central Mexico	E	3	NA	NA
Bobcat, Mexican	<i>Damaliscus pygargus (=dorcas)</i>	<i>Damaliscus pygargus (=dorcas)</i>	<i>Damaliscus pygargus (=dorcas)</i>	South Africa	E	15	NA	NA
Bontebok (antelope)	<i>Camelus bactrianus</i>	<i>Camelus bactrianus</i>	<i>Mongolia, China</i>do	E	15	NA	NA
Caribou, woodland	<i>Rangifer tarandus caribou</i>	<i>Rangifer tarandus caribou</i>	U.S.A. (AK, ID, ME, MI, MN, MT, NH, VT, WA, WI), Canada.	U.S.A. (ID, WA), Canada (that part of S.E. British Columbia bounded by the U.S.-Can. border, Columbia R., Kootenay R., Kootenay L., and Koocenai R.).	E	136, 143	NA	NA
Cat, Andean	<i>Felis jacobita</i>	<i>Felis jacobita</i>	Chile, Peru, Bolivia, Argentinado	E	15	NA	NA
Cat, Asian golden (=Temminck's)	<i>Catopuma (=Felis) temminckii</i>	<i>Catopuma (=Felis) temminckii</i>	Nepal, China, Southeast Asia, Indonesia (Sumatra).do	E	15	NA	NA
Cat, black-footed	<i>Felis nigripes</i>	<i>Felis nigripes</i>	Southern Africado	E	15	NA	NA
Cat, flat-headed	<i>Prionailurus (=Felis) planiceps</i>	<i>Prionailurus (=Felis) planiceps</i>	Malaysia, Indonesiado	E	15	NA	NA

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Cat, Iriomote	<i>Prionailurus (=Felis) bengalensis inornatus.</i>	Japan (Iriomote Island, Ryukyu Islands), India, Southeast Asia	do	E	50	NA	NA
Cat, leopard	<i>Prionailurus (=Felis) bengalensis bengalensis.</i>	do	E	15	NA	NA
Cat, marbled	<i>Pardofelis (=Felis) marmorata</i>	Nepal, Southeast Asia, Indo-nesia, Pakistan	do	E	15	NA	NA
Cat, Pakistan sand	<i>Felis margarita scheffleri</i>	Costa Rica to northern Argen-tina.	do	E	139	NA	NA
Cat, tiger	<i>Leopardus (=Felis) tigrinus</i>	Italy	do	E	5	NA	NA
Chamois, Apennine	<i>Rupicapra rupicaprora ornata</i>	Africa to India	do	E	15	NA	NA
Cheetah	<i>Achonyx jubatus</i>	Africa—see 17.40(c)(3)	do	E	3.5	NA	NA
Chimpanzee	<i>Pan troglodytes</i>	Zaire	do	T	16, 376	NA	NA
Do	<i>Pan paniscus</i>	Bolivia	do	E	16, 376	NA	NA
Chimpanzee, pygmy	<i>Chinchilla brevicaudata</i>	India	do	E	15	NA	NA
Chinchilla	<i>boliviiana.</i>	Mexico (Gulf of California)	do	E	50	NA	NA
Civet, Malabar large-spotted	<i>Viverrav civetta (=megaspila c.).</i>	Tajikistan, Uzbekistan, Afghanistan.	do	E	169	NA	NA
Cochito	<i>Phocaena sinus</i>	Morocco, Tunisia, Algeria	do	E	50	NA	NA
Deer, Bactrian	<i>Cervus elaphus bactrianus</i>	Philippines (Calamian Islands)	do	E	50	NA	NA
Deer, Baibary	<i>Cervus elaphus barbarus</i>	Mexico (Cedros Island)	do	E	15	NA	NA
Deer, Calamianes (=Philippine)	<i>Axis porcinus calamianensis</i>	U.S.A. (WA, OR)	do	E	10	NA	NA
Deer, Cedros Island mule	<i>Odocoileus hemionus cedrosensis.</i>	Columbia River (Clark, Cowlitz, Pacific, Skamania, and Wahkiakum Counties, WA, and Clatsop, Columbia, and Multnomah Counties, OR).	do	E	1,738	NA	NA
Deer, Columbian white-tailed	<i>Odocoileus virginianus leucurus.</i>	Corsica, Sardinia	do	E	50	NA	NA
Deer, Corsican red	<i>Cervus elaphus corsicanus</i>	India to Southeast Asia	do	E	3	NA	NA
Deer, Eld's brow-antlered	<i>Cervus eldi</i>	Taiwan	do	E	50	NA	NA
Deer, Formosan sika	<i>Cervus nippon taiouanus</i>	Thailand, Indochina	do	E	15	NA	NA
Deer, Indochina hog	<i>Axis (=Cervus) porcinus annamiticus.</i>	U.S.A. (FL)	do	E	1	NA	NA
Deer, key	<i>Odocoileus virginianus clavium</i>	Indonesia	do	E	3	NA	NA
Deer, Kuh's (=Bawean)	<i>Axis porcinus kuhli</i>	Argentina, Uruguay, Paraguay, Bolivia, Brazil	do	E	3	NA	NA
Deer, marsh	<i>Blastocerus dichotomus</i>	China (Sinkiang, Tibet)	do	E	3	NA	NA
Deer, McNeill's	<i>Cervus elaphus maenalisii.</i>	Central and eastern Asia	do	E	15	NA	NA
Deer, musk	<i>Moschus</i> spp. (all species)	China (Shantung and Chihli Provinces).	do	E	50	NA	NA
Deer, North China sika	<i>Cervus nippon mandarinus</i>	Brazil, Argentina, Uruguay, Bo-liva, Paraguay.	do	E	15	NA	NA
Deer, pampas	<i>Ozotoceros bezoarticus</i>	Iraq, Iran	do	E	3	NA	NA
Deer, Persian fallow	<i>Dama mesopotamica (=dama m.).</i>	Japan (Ryukyu Islands)	do	E	50	NA	NA
Deer, Ryukyu sika	<i>Cervus nippon keramai</i>	China (Shansi Province)	do	E	50	NA	NA
Deer, Shansi sika	<i>Cervus nippon grassianus</i>	China (Shansi Province)	do	E	50	NA	NA

§ 17.11

50 CFR Ch. I (10-1-10 Edition)

Species	Common name	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Deer, South China sika	<i>Cervus nippon kopschi</i>	Southern China	do	do	E	50 3	NA NA	NA
Deer, swamp	<i>Cervus duvaucelii</i>	India, Nepal	do	do	E	320	NA	NA
Deer, Visayan	<i>Cervus alfredi</i>	Philippines	do	do	E	50	NA	NA
Deer, Yarkand	<i>Cervus elaphus yarkandensis</i>	China (Sinkiang)	do	do	E	3	NA	NA
Dhole	<i>Cuon alpinus</i>	C.I.S., Korea, China, India, Southeast Asia	do	do	E	139	NA	NA
Dibbler	<i>Antechinus apicalis</i>	Australia	do	do	E	4	NA	NA
Dog, African wild	<i>Lycodon pictus</i>	Sub-Saharan Africa	do	do	E	350	NA	NA
Dolphin, Chinese river	<i>Lipotes vexillifer</i>	China	do	do	E	417	NA	NA
Dolphin, Indus River	<i>Platanista minor</i>	Pakistan (Indus R. and tributaries)	do	do	E	16	NA	NA
Drill	<i>Mandrillus (=Papio) leucophaeus</i> . <i>Dugong dugon</i>	Equatorial West Africa	do	do	E	4,740	NA	NA
Dukker, Jentink's	<i>Cephalophus jentinki</i>	East Africa to southern Japan, including Palau, Sierra Leone, Liberia, Ivory Coast	do	do	E	50	NA	NA
Eland, western giant	<i>Trautragus derbianus</i>	Senegal to Ivory Coast	do	do	E	50	NA	NA
Elephant, African	<i>Loxodonta africana</i>	Africa	do	do	T	40	NA	17.40(e)
Elephant, Asian	<i>Elephas maximus</i>	South-central and southeastern Asia	do	do	E	15	NA	NA
Ferret, black-footed	<i>Mustela nigripes</i>	Western U.S.A., Western Canada	do	do	E	1,3	NA	NA
do	do	do	do	do	XN	703, 737	NA	17.84(g)
Fox, northern swift	<i>Vulpes velox hebes</i>	U.S.A. (specified portions of AZ, CO, MT, SD, UT, and WY, see 17.84(g)(9)).	do	do	E	703, 737	NA	NA
Fox, San Joaquin kit Fox	<i>Vulpes macrotis mutica</i>	U.S.A. (northern plains), Canada	do	do	E	1	NA	NA
Fox, Santa Catalina Island	<i>Urocyon littoralis catalinae</i>	U.S.A. (CA)	do	do	E	742	17.95(a)	NA
Fox, Santa Cruz Island	<i>Urocyon littoralis santacruzae</i>	do	do	do	E	742	17.95(a)	NA
Fox, Simien	<i>Canis simensis</i>	do	do	do	E	742	17.95(a)	NA
Gazelle, Arabian	<i>Gazella gazella</i>	Ethiopia	do	do	E	50	NA	NA
Ammodorcas clarkei	<i>Ammodorcas clarkei</i>	Arabian Peninsula, Palestine, Sinai, Somalia, Ethiopia	do	do	E	50	NA	NA
Gazelle, Clark's	<i>Gazella clarki</i>	do	do	do	E	3	NA	NA

U.S. Fish and Wildlife Serv., Interior

§ 17.11

§ 17.11

50 CFR Ch. I (10-1-10 Edition)

Species	Common name	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Kangaroo rat, Stephens'	<i>Dipodomys stephensi</i> (incl. <i>D. cavaeus</i> , <i>Dipodomys nitratoides</i> <i>nitratoides</i> , <i>Macrotis giganteus</i> <i>tasmaniensis</i> , <i>Phascogaleus cinereus</i> <i>Bos tauri</i>)	<i>Dipodomys stephensi</i> (incl. <i>D. cavaeus</i> , <i>Dipodomys nitratoides</i> <i>nitratoides</i> , <i>Macrotis giganteus</i> <i>tasmaniensis</i> , <i>Phascogaleus cinereus</i> <i>Bos tauri</i>)dodo	E	338	NA	NA
Kangaroo rat, Tipton		dodo	E	312	NA	NA
Kangaroo, Tasmanian forester			Australia (Tasmania)do	E	6	NA	NA
Koala			Australia	Australia	T	698	NA	NA
Kouprey		dodo	E	3	NA	NA
Langur, capped			Australia	Australia	E	15	NA	NA
Langur, Douc			Thailand, Laos, Cambodia, India, Burma, Bangladeshdo	E	3	NA	NA
Langur, Francois'			Cambodia, Laos, Vietnamdo	E	16	NA	NA
Langur, golden			China (Kwangsi), Indochinado	E	16	NA	NA
Langur, gray (=entellus)			India (Assam), Bhutando	E	15	NA	NA
Langur, long-tailed			China (Tibet), India, Pakistan, Kashmir, Sri Lanka, Sikkim, Bangladesh, Indonesiado	T	16	NA	17.40(c)
Langur, Pagi Island		dodo	E	3	NA	NA
Langur, purple-faced			Sri Lankado	T	16	NA	17.40(c)
Lechwe, red			South Africado	T	3, 15	NA	NA
Lemurs			Malagasy Republic (=Madagascar), Madagascardo	E	106	NA	NA
Leopard			Africa, Asiado	E	3, 15, 15A	NA	NA
Do		dodo	E	3, 5,	NA	NA
Leopard, clouded		<i>Neofelis nebulosa</i>	Southeastern and south-central Asia, Taiwan.do	T	114 3, 5,	NA	17.40(f)
Leopard, snow		<i>Uncia (=Panthera) uncia</i> <i>Priodontes pardicolor</i>	Central Asiado	E	114	NA	NA
Linang, spotted			Nepal, Assam, Vietnam, Cam- bodia, Laos, Burma.do	E	3, 15	NA	NA
Lion, Asiatic			Turkey to Indiado	E	5	NA	NA
Loris, lesser slow		<i>Panthera leo persica</i>	Indochinado	E	15	NA	NA
Lynx, Canada		<i>Nycticebus pygmaeus</i> <i>Lynx canadensis</i>	U.S.A. (AK, CO, ID, ME, MI, MN, MT, NH, NY, OR, UT, VT, WA, WI, WY), Canada, circumboreal.do	T	3	NA	17.40(c)
Lynx, Spanish		<i>Felis pardina</i>	Spain, Portugal	Entire	T	692	NA	17.95(a) 17.40(K)
				Entire	E	3	NA	NA

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Macaque, Formosan rock	<i>Macaca cyclopis</i>	Taiwan	do	16	NA	17.40(c)
Macaque, Japanese	<i>Macaca fuscata</i>	Japan (Shikoku, Kyushu and Honshu Islands).	do	16	NA	17.40(c)
Macaque, lion-tailed	<i>Macaca silenus</i>	India	do	3	NA	NA
Macaque, stump-tailed	<i>Macaca arctoides</i>	India (Assam) to southern China.	do	16	NA	17.40(c)
Macaque, Toque	<i>Macaca sinica</i>	Sri Lanka	do	16	NA	17.40(c)
Manatee, Amazonian	<i>Trichechus inunguis</i>	South America (Amazon R. basin).	do	3	NA	NA
Manatee, West African	<i>Trichechus senegalensis</i>	West Coast of Africa from Senegal R. to Cuanza R. U.S.A. (southeastern), Caribbean Sea, South America.	do	52	NA	NA
Manatee, West Indian	<i>Trichechus manatus</i>	Kenya	do	1,3	17.95(a)	17.108(a)
Mandrill	<i>Mandrillus (=Papio) sphinx</i>	Senegal to Ghana; Nigeria to Gabon.	do	16	NA	NA
Mangabey, Tana River	<i>Cercopithecus galeritus galertinus</i>	U.S.A. (TX), Central and South America.	do	3	NA	NA
Mangabey, white-collared	<i>Cercopithecus torquatus</i>	Chilian Range of west-central Pakistan.	do	16	NA	NA
Margay	<i>Leopardus (=Felis) wiedii</i>	Afghanistan, Pakistan	do	5	NA	NA
Markhor, chilchan (=wild goat)	<i>Capra falconeri</i> (= <i>aegagrus</i>)	Brazil	do	15	NA	NA
Markhor, Kabul	<i>Capra falconeri megadrepanis</i>	Brazil to Colombia	do	15	NA	NA
Markhor, straight-horned	<i>Capra falconeri jerdoni</i>	Brazil, Colombia, Ecuador, Peru, Bolivia.	do	139	NA	NA
Marmoset, buff-headed	<i>Callithrix flaviceps</i>	Brazil	do	16	NA	NA
Marmoset, cotton-top	<i>Saguinus oedipus</i>	Brazil	do	3	NA	NA
Marmoset, Goeldi's	<i>Callimico goeldii</i>	Brazil	do	233	NA	NA
Marmoset, white-eared (=buffy tuffed-ear)	<i>Callithrix aurita</i> (= <i>iacchus a.</i>)	Canada (Vancouver Island)	do	139	NA	NA
Marmot, Vancouver Island	<i>Marmota flaviventris</i>	Australia	do	4	NA	NA
Marsupial, eastern jerboa	<i>Antechinus laniger</i>	...do	do	4	NA	NA
Marsupial-mouse, large desert	<i>Sminthopsis psammophila</i>	...do	do	4	NA	NA
Marsupial-mouse, long-tailed	<i>Sminthopsis longicaudata</i>	...do	do	3	NA	NA
Marten, Formosan yellow-throated	<i>Martes flavigula chrysospila</i>	Taiwan	do	...do	...do	...do
Monkey, black colobus	<i>Colobus satanas</i>	Equatorial Guinea, People's Republic of Congo, Cameroon, Gabon, Mexico, Guatemala, Belize	do	16	NA	NA
Monkey, black howler	<i>Alouatta pigra</i>	China	do	16	NA	17.40(c)
Monkey, Diana	<i>Cercopithecus diana</i>	Upper eastern Congo R. Basin, Cameroon.	do	400	NA	NA
Monkey, Guizhou snub-nosed	<i>Rhinopithecus brelichi</i>	Mexico to South America	do	16	NA	NA
Monkey, L'hoest's	<i>Cercopithecus lhoesti</i>	Cameroon	do	139	NA	NA
Monkey, mantled howler	<i>Alouatta palliata</i>	Borneo	do	15	NA	NA
Monkey, Preuss' red colobus	<i>Procolobus (=Colobus) preussi</i>	Costa Rica, Panama	do	3	NA	NA
Monkey, proboscis	<i>Nasalis larvatus</i>	Western Nigeria	do	16	NA	NA
Monkey, red-backed squirrel	<i>Saimiri oerstedii</i>					
Monkey, red-bellied	<i>Cercopithecus erythrogaster</i>					

§ 17.11

50 CFR Ch. I (10-1-10 Edition)

Common name	Species	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Monkey, red-eared nose-spotted	<i>Cercopithecus erythrotis</i>		Nigeria, Cameroon, Fernando Po, Chinado	E	16	NA	NA
Monkey, Sichuan snub-nosed	<i>Rhinopithecus roxellana</i>		Costa Rica, Nicaraguado	E	400	NA	NA
Monkey, spider	<i>Atelis geoffroyi frontatus</i>		Costa Rica, Panamado	E	3	NA	NA
Do	<i>Atelis geoffroyi panamensis</i>		Kenyado	E	3	NA	NA
Monkey, Tana River red colobus	<i>Procolobus (=Colobus) rufomitratus</i> (= <i>badius</i> r.).		Vietnamdo	E	16, 400	NA	NA
Monkey, Tonkin stub-nosed	<i>Rhinopithecus avunculus</i>		Brazildo	E	3	NA	NA
Monkey, woolly spider	<i>Brachyteles arachnoides</i>		Andes of northern Perudo	E	16	NA	NA
Monkey, yellow-tailed wooly	<i>Lagothrix flavicauda</i>		Chinado	E	400	NA	NA
Monkey, Yunnan snub-nosed	<i>Rhinopithecus bieti</i>		Tanzaniado	E	3	NA	NA
Monkey, Zanzibar red colobus	<i>Procolobus (=Colobus) pennantii</i> (= <i>kirkii</i>) <i>kirkii</i> .		U.S.A. (CA)do	E	454	NA	NA
Mountain beaver, Point Arena	<i>Aplodonia rufa nigra</i>		U.S.A. (AL)do	E	183	17.95(a)	NA
Mouse, Alabama beach	<i>Peromyscus polionotus</i> ammoniates.		U.S.A. (FL)do	E	349	NA	NA
Mouse, Anastasia Island beach	<i>Peromyscus polionotus</i> phasma.		U.S.A. aquilodo	E	15	NA	NA
Mouse, Australian native	<i>Notomys aquilo</i>		Australiado	E	15	NA	NA
Do	<i>Zyzomys pedunculatus</i>		U.S.A. (FL)do	E	183	17.95(a)	NA
Mouse, Chokwatatchee beach	<i>Peromyscus polionotus</i> aliphonis.		U.S.A. (FL)do	E	4	NA	NA
Mouse, Field's	<i>Pseudomysheldyi</i>		Australiado	E	6	NA	NA
Mouse, Gould's	<i>Pseudomysheldyi</i>		U.S.A. (FL)do	E	131E	NA	NA
Mouse, Key Largo cotton	<i>Pseudomys gouldii</i>		Australiado	E	160	NA	NA
Mouse, New Holland	<i>Pseudomys novaehollandiae</i>		U.S.A. (CA)do	E	526E	NA	NA
Mouse, Pacific pocket	<i>Pteropomys longimembris</i> pacificus.		U.S.A. (AL, FL)do	E	554	17.95(a)	NA
Mouse, Perdido Key beach	<i>Peromyscus polionotus</i> trissilensis.		U.S.A. (CO, WY)	U.S.A., north-central CO (that portion of Colorado west of 103 degrees 40 minutes West, north of 38 degrees 30 minutes North, and east of 105 degrees 50 minutes West).	T	636	17.95(a)	17.40(l)
Mouse, Pebble's meadow jumping.	<i>Zapus hudsonius preblei</i>		U.S.A. (CA)	Entire	E	2	NA	NA
Mouse, salt marsh harvest	<i>Reithrodontomys raviventris</i>		Australiado	E	4	NA	NA
Mouse, Shark Bay	<i>Pseudomys praecox</i>dodo	E	4	NA	NA
Mouse, Shorbridge's	<i>Pseudomys shortridgei</i>dodo	E	4	NA	NA
Mouse, smoky	<i>Pseudomys fumeus</i>dodo	T	349	NA	NA
Mouse, southeastern beach	<i>Peromyscus polionotus</i> riveriventris.	dodo	E	655	NA	NA
Mouse, St. Andrew beach	<i>Peromyscus polionotus</i> peninsulae.	dodo	E	4	NA	NA
Mouse, western	<i>Pseudomys occidentalis</i>		Australiado	E	50	NA	NA
Muntjac, Feat's	<i>Muntiacus feae</i>		Northern Thailand, Burmado				

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Native-cat, eastern		Australia	E	6	NA
Numbat		U.S.A. (AZ, TX)	E	4, 6	NA
Ocelot		do	E	5, 119	NA
Orangutan		South America	E	3	NA
Oryx, Arabian		Borneo, Sumatra	E	3	NA
Oryx, scimitar-horned		Arabian Peninsula	E	3	NA
Otter, Cameroon clawless		North Africa	E	3	NA
Otter, giant		Cameroon, Nigeria	E	3	NA
Otter, long-tailed		South America	E	3	NA
Otter, marine		do	E	3, 15	NA
Otter, northern sea		do	E	15	NA
Otter, southern river		Peru south to Straits of Magellan	T	764	NA
Otter, southern sea		U.S.A. (AK, WA)	T	17.95(a)	17.40(p)
Do		Chile, Argentina	E	15	NA
Panda, giant		West Coast, U.S.A. (CA, OR, WA) south to Mexico (Baja California).	T	21, 284	NA
Pangolin, Temminck's ground		do	XN	284	NA
Panther, Florida		China	E	139	NA
Planigale, little		U.S.A. (LA and AR east to SC and FL), Australia	E	15	NA
Planigale, southern		do	E	1	NA
Porcupine, thin-spined		Brazil	E	4	NA
Possum, Leadbeater's		Australia	E	4	NA
Possum, mountain pygmy		do	E	3	NA
Possum, scaly-tailed		Mexico	E	233	NA
Prairie dog, Mexican		U.S.A. (UT)	E	4	NA
Pronghorn, peninsular		Mexico (Baja California)	E	4	NA
Pronghorn, Sonoran		U.S.A. (AZ), Mexico	E	6, 149	NA
Pudu		do	E	10	NA
Puma (=mountain lion)		Southern South America	E	1, 3	NA
Puma, Costa Rican		Canada to South America	E	15	NA
Puma (=cougar), eastern		Nicaragua, Panama, Costa Rica	E	432	17.40(h)
Quokka		Eastern North America	E	15	NA
		Australia	E	6	NA
		do	E	6	NA

§ 17.11

50 CFR Ch. I (10-1-10 Edition)

Species	Common name	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Rabbit, Columbia Basin pygmy ..	<i>Brachylagus idahoensis</i>	U.S.A. (western conterminous U.S.).	U.S.A. (WA—Douglas, Grant, Lincoln, Adams, Benton Counties).	E	390 687 50 3 4	NA NA NA NA NA	NA	NA
Rabbit, Lower Keys	<i>Sylvilagus palustris heeneri</i>	U.S.A. (FL)	Entire	E	6	NA	NA	NA
Rabbit, riparian brush	<i>Sylvilagus bachmani riparius</i>	U.S.A. (CA)	do	E	4	NA	NA	NA
Rabbit, Ryukyu	<i>Pentalagus furnessi</i>	Mexico (Ryukyu Islands)	do	E	6	NA	NA	NA
Rabbit, volcano	<i>Romerolagus diazi</i>	Australia	do	E	4	NA	NA	NA
Rat, false water	<i>Xeromys myoides</i>	Australia	do	E	6	NA	NA	NA
Rat, stick-neck	<i>Leporillus conditor</i>	do	do	E	4	NA	NA	NA
Rat-kangaroo, brush-tailed	<i>Bettongia penicillata</i>	do	do	E	4	NA	NA	NA
Rat-kangaroo, desert (=plain)	<i>Caloprymnus campestris</i>	do	do	E	6	NA	NA	NA
Rat-kangaroo, Gaimard's	<i>Bettongia gaimardi</i>	do	do	E	4	NA	NA	NA
Rat-kangaroo, Lesuer's	<i>Bettongia lesuerii</i>	do	do	E	4	NA	NA	NA
Rat-kangaroo, Queensland	<i>Bettongia tropica</i>	Sub-Saharan Africa	do	E	4	NA	NA	NA
Rhinoceros, black	<i>Dicerorhinus sumatrensis</i>	India, Nepal	do	E	97	NA	NA	NA
Rhinoceros, great Indian	<i>Rhinoceros unicornis</i>	Indonesia, Indochina, Burma, Thailand, Sikkim, Bangladesh, Malaysia, Zaire, Sudan, Uganda, Central African Republic.	do	E	4	NA	NA	NA
Rhinoceros, Javan	<i>Rhinoceros sondaicus</i>	Bangladesh to Vietnam to Indonesia (Borneo). U.S.A. (FL)	Lower FL Keys (west of Seven Mile Bridge); Entire	E	3	NA	NA	NA
Rhinoceros, northern white	<i>Ceratotherium simum cottoni</i>	Mongolia	do	E	3	NA	NA	NA
Rhinoceros, Sumatran	<i>Dicerorhinus sumatrensis</i>	Brazil	do	E	17.95(a)	NA	NA	NA
Rice rat	<i>Oryzomys palustris natator</i>	U.S.A. (AK, CA, OR, WA), Canada, Russia; North Pacific Ocean.	Entire, except the population segment west of 144° W. Long.	E	15 233 3	NA NA NA	NA	NA
Saiga, Mongolian (antelope)	<i>Saiga tatarica mongolica</i>	do	Population segment west of 144° W. Long.	T	384E 408, 614	226,202 223,202	223,202	223,202
Saki, southern bearded	<i>Chiropotes satanas satanas</i>	Caribbean Sea, Gulf of Mexico	Entire	E	384E, 408, 614	226,202	NA	NA
Saki, white-nosed	<i>Chiropotes abinasius</i>	U.S.A. (Farallon Islands of CA) south to Mexico (islas Revillagigedo).	do	E	1, 2D, 45	NA	NA	NA
Sea-lion, Steller	<i>Eumetopias jubatus</i>	U.S.A. (Farallon Islands of CA) south to Mexico (islas Revillagigedo).	do	T	1, 2D, 212	NA	223,201	223,201
Do
Seal, Caribbean monk	<i>Monachus tropicalis</i>	U.S.A. (Hawaii)	do	E	18	226,201	NA	NA
Seal, Guadalupe fur	<i>Arctocephalus townsendi</i>	Monachus schauinslandi	do	E	3	NA	NA	NA
Seal, Hawaiian monk	<i>Monachus schauinslandi</i>	Monachus monachus	do	E	508	NA	NA	NA
Seal, Mediterranean monk	<i>Monachus monachus</i>	Phoca hispida saimensis	do	E	3	NA	NA	NA
Seal, Saimaa	<i>Phoca hispida saimensis</i>	Bos gaurus	do	E	15	NA	NA	NA
Seledang	<i>Bos gaurus</i>	Naemorhedus (=Capricornis) sumatraensis.	do	E
Serow

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Serval, Barbary	<i>Leptailurus (=Felis) serval constantinina.</i>	Algeria	do	E 3	NA	NA
Shapo	<i>Ovis vignei vignei</i>	Kashmir U.S.A. (western conterminous States), Canada (south-western), Mexico (northern). U.S.A. (CA)—Sierra Nevada ...	do	E 15 634	NA 17.95(a)	NA
Sheep, Peninsular bighorn	<i>Ovis canadensis nelsoni</i>	Tibet, Bhutan U.S.A. (CA)	Entire	E 660E 675	17.95(a)	NA
Sheep, Sierra Nevada bighorn	<i>Ovis canadensis sierrae</i>	Malaysia, Indonesia (=Madagascar). Brazil	do	E 3 725 15	NA 17.95(a) NA	NA
Shou	<i>Cervus elaphus wallichi</i>	Dominican Republic, Haiti	do	E 4	NA	NA
Shrew, Buena Vista Lake	<i>Sorex ornatus relicitus</i>	U.S.A. (NC, TN)	do	E 3	NA	NA
Siamang	<i>Sympthalangus syndactylus</i>	U.S.A. (Delmarva Peninsula to southeastern PA)	do	E 3	NA	NA
Sitakas	<i>Propithecus spp.</i>	U.S.A. (Delmarva Peninsula to southeastern PA)	do	E 1, 189	NA	NA
Sloth, Brazilian three-toed	<i>Bradypus torquatus</i>	U.S.A. (AZ)	Entire, except Sussex Co., DE	E 161	NA	NA
Solenodon, Cuban	<i>Solenodon paradoxus</i>	U.S.A. (ID)	Entire	XN E 268	17.95(a)	NA
Solenodon, Haitian	<i>Glaucomys sabrinus coloratus</i>	Tunisia, Algeria	do	E 161	NA	17.84(a)
Squirrel, Carolina northern flying	<i>Sciurus niger cinereus</i>	Kashmir	do	E 268	17.95(a)	NA
Squirrel, Delmarva Peninsula fox	<i>Sciurus niger</i>	Zanzibar (and nearby islands)	do	T 693	NA	NA
Do	<i>Tamiasciurus hudsonicus</i>	Oman	do	E 3	NA	NA
Squirrel, Mount Graham red	<i>Spermophilus brunnneus</i>	Philippines	do	E 3	NA	NA
Squirrel, northern Idaho ground	<i>Thomomys talpoides</i>	Brazil	do	E 50	NA	NA
Stag, Barbary	<i>Cervus elaphus barbarus</i>	Colombia	do	E 50	NA	NA
Stag, Kashmir	<i>Cervus elaphus hanglu</i>	Burma, Laos, Cambodia, Vietnam, Malaysia, Indonesia, Thailand.	do	E 4	NA	NA
Sun, Zanzibar	<i>Cervus elaphus moschatus</i>	Southern Mexico to Colombia and Ecuador.	do	E 3	NA	NA
Tahr, Arabian	<i>Hemitragus jayakari</i>	Colombia, Ecuador and possibly Peru and Venezuela.	do	E 16	NA	NA
Tamaraw	<i>Bubalus mindorensis</i>	Colombia and Venezuela south to Paraguay and Argentina.	do	T 16	NA	17.40(c)
Tamarin, golden-rumped	<i>Leontopithecus spp.</i>	Philippines	do	E 3.5	NA	NA
Tamarin, pied	<i>Saguinus bicolor</i>	Temperate and tropical Asia	do	E 3	NA	NA
Tamarin, white-footed	<i>Saguinus leucopus</i>	Australia	do	E 3	NA	NA
Tapir, Asian	<i>Tapirus indicus</i>	Peru, Brazil, Ecuador, Colombia, Venezuela.	do	E 15	NA	NA
Tapir, Central American	<i>Tapirus bairdii</i>	Oryx	do	E 3	NA	NA
Tapir, mountain	<i>Tapirus pinchaque</i>	Panthera tigris	do	E 3	NA	NA
Tapir, South American (=Brazilian). Tarsier, Philippine	<i>Tapirus terrestris</i>	Tarsius syrichta	do	E 3	NA	NA
Tiger		Panthera tigris	do	E 3	NA	NA
Tiger, Tasmanian		Thylacine <i>cynocephalus</i>	do	E 3	NA	NA
Uakari (all species)		Cacajao spp.	do	E 3	NA	NA
Urial		Ovis musimon opion	do	E 15	NA	NA
Vicuna		Vicugna vicugna	Entire, except Ecuador	T 3, 724	17.40 (m)	NA

§ 17.11

50 CFR Ch. I (10-1-10 Edition)

Species	Common name	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Do	Dododo	Ecuador	E	3,724	NA	NA
Vole, Amargosado	<i>Microtus californicus scirpensis</i>do	Entire	E	166	17.95(a)	NA
Vole, Florida salt marshdo	<i>Microtus pennsylvanicus dukercampbelli</i>dodo	E	415	NA	NA
Vole, Hulapai Mexicando	<i>U.S.A. (AZ)</i>dodo	E	292	NA	NA
Wallaby, banded haredo	<i>Lagostrophus fasciatus</i>dodo	E	4	NA	NA
Wallaby, brindled nail-taileddo	<i>Onychogalea trinotata</i>dodo	E	4	NA	NA
Wallaby, crescent nail-taileddo	<i>Onychogalea lunata</i>dodo	E	4	NA	NA
Wallaby, Parmado	<i>Macropus parma</i>dodo	E	4	NA	NA
Wallaby, western haredo	<i>Lagorchestes hirsutus</i>dodo	E	4	NA	NA
Wallaby, yellow-footed rockdo	<i>Petrogale xanthopus</i>dodo	E	6	NA	NA
Whale, bluedo	<i>Balaenoptera musculus</i>	Oceanicdo	E	3	NA	NA
Whale, bowheaddo	<i>Balaenoptera physalus</i>	Oceanic (north latitudes only)do	E	3	NA	NA
Whale, finbackdo	<i>Eschrichtius robustus</i>	Oceanicdo	E	3,540	NA	NA
Whale, graydo	<i>Megaptera novaengliae</i>	North Pacific Ocean—coastal and Bering Sea, formerly North Atlantic Ocean.do	E	3	NA	NA
Whale, humpbackdo	<i>Orcinus orca</i>	Oceanic	Entire	E	3	224.101, 224.103	NA
Whale, killerdo		Pacific Ocean	Southern Resident DPS, which consists of whales from the J, K, and L pods, wherever they are found in the wild.	E	756	NA	NA
Whale, North Atlantic rightdo	<i>Eubalaena glacialis</i>	Oceanic	Entire	E	3	226.203	224.103
Whale, North Pacific rightdo	<i>Eubalaena japonica</i>dodo	E	3	NA	NA
Whale, Southern rightdo	<i>Eubalaena australis</i>dodo	E	3	NA	NA
Whale, Seido	<i>Balaenoptera borealis</i>dodo	E	3	NA	NA
Whale, spermdo	<i>Physeter catodon</i> (=macrocephalus)dodo	E	3	NA	NA

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Wolf, gray	<i>Canis lupus</i>	Holarctic	E 1, 6, 13, 15, 35	N/A
Dododo	17.95(a)	
Dododo	17.95(d) N/A	
Wolf, gray [Northern Rocky Mountain DPS].	<i>Canis lupus</i>	U.S.A. (MT, ID, WY, eastern WA, eastern OR, and north central UT). Argentina, Bolivia, Brazil, Para- guay, Uruguay.	T 35 XN 631	17.40(d) 17.84(k)
Wolf, maned	<i>Chrysocyon brachyurus</i>	U.S.A. (SE U.S.A., west to central TX).do	XN 561, 562	17.84(i) 17.84(n)
Wolf, red	<i>Canis rufus</i>	Australia	E 4	NA
Dododo	E 1, 248, 449, 579	NA
Wombat, Queensland hairy-nosed (incl. Barnard's). Woodrat, Key Largo	<i>Lasiorhinus krefftii</i> (formerly <i>L. barnardi</i> and <i>L. gillespiei</i>). <i>Neotoma floridana similis</i>	Entire	XN 449, 579 17.84(c)(9).	NA
Woodrat, riparian (San Joaquin Valley). Yak, wild	<i>Neotoma fuscipes riparia</i>	Entire	E 4, 6	NA
Zebra, Grey's	<i>Bos mutus</i> (=grunniens m.)	China (Tibet), India Kenya, Ethiopia, Somalia Namibia, Angola	E 131E, 160	NA
Zebra, Hartmann's mountain	<i>Equis grevyi</i>	South Africa	E 687	NA
Zebra, mountain	<i>Equis zebra hartmannae</i>do	E 3	NA
BIRDS	<i>Equis zebra zebra</i>do	E 54 54, 111	NA
Akekee(honeycreeper)	<i>Loxopscæruleirostris</i>	Entire	E 15, 111	NA
'Akepa, Hawaii (honeycreeper)	<i>Loxops coccineus coccineus</i>do	E 765	17.95(b) NA
'Akepa, Maui (honeycreeper)dodo	E 2	NA
Akialoa, Kauai (honeycreeper)	<i>Loxops coccineus ochraceus</i>do	E 1	NA
'Akialoa au (honeycreeper)	<i>Hemignathus procerus</i>do	E 1	NA
Alikiki (honeycreeper)	<i>Hemignathus munroi</i>do	E 765	17.95(b) NA
Albatross, Amsterdam	<i>Oceanodroma amsterdamensis</i>	Indian Ocean—Amsterdam Is- land	E 571	NA

§ 17.11

50 CFR Ch. I (10-1-10 Edition)

Species	Common name	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Albatross, short-tailed	<i>Phoebastria</i> (= <i>Diodaeia</i>) <i>albatrus.</i>	North Pacific Ocean and Be- ing Sea—Canada, China, Japan, Mexico, Russia, Tai- wan, U.S.A. (AK, CA, HI, OR, WA).	do	do	E	3, 700	NA	NA
Alethe, Thryolo	<i>Alethe choloensis</i>	Malawi, Mozambique	do	do	E	571	NA	NA
Blackbird, yellow-shouldered	<i>Agelaius xanthomus</i>	U.S.A. (PR)	do	do	E	17	17.95(b)	NA
Bobwhite, masked (quail)	<i>Colinus virginianus ridgwayi</i>	U.S.A. (AZ)	do	do	E	1, 3	NA	NA
Booby, Abbott's	<i>Papasula</i> (= <i>Sula</i>) <i>abbotti</i>	Indian Ocean—Christmas Is- land.	do	do	E	15	NA	NA
Bristlebird, western	<i>Dasyornis longirostris</i> (= <i>brachypterus</i> l.)	Australia	do	do	E	3	NA	NA
Bristlebird, western rufous	<i>Dasyornis broadbenti</i> <i>littoralis</i>	do	do	do	E	3	NA	NA
Bulbul, Mauritius oliveaceous	<i>Hypsipetes borbonicus</i> <i>olivaceus.</i>	Indian Ocean—Mauritius	do	do	E	15	NA	NA
Bullfinch, Sao Miguel (finch)	<i>Pyrrhula pyrrhula murina</i>	Eastern Atlantic Ocean— Azores.	do	do	E	3	NA	NA
Bush-shrike, Ulugura	<i>Malacocichla alius</i>	Tanzania	do	do	T	571	NA	NA
Bushwren, New Zealand	<i>Xenicus longipes.</i>	New Zealand	do	do	E	3	NA	NA
Bustard, great Indian	<i>Ardeotis</i> (= <i>Choriops</i>) <i>griseiceps</i>	India, Pakistan	do	do	E	3	NA	NA
Cahow	<i>Pterodroma cahow</i>	North Atlantic Ocean—Ber- muda.	do	do	E	3	NA	NA
Caracara, Audubon's crested	<i>Polyborus plancus auduboni</i>	U.S.A. (AZ, FL, LA, NM, TX) south to Panama; Cuba.	U.S.A. (FL)	do	T	280	NA	NA
Condor, Andean	<i>Vultur gryphus</i>	Colombia to Chile and Argen- tina.	Entire	do	E	4	NA	NA
Condor, California	<i>Gymnogyps californianus</i>	U.S.A. (AZ, CA, OR), Mexico (Baja California).	do	do	E	1, 597	17.95(b)	NA
Do	do	do	do	do	XN	597	NA	17.84(j)
Coot, Hawaiian	<i>Fulica americana alai</i>	U.S.A. (HI)	do	do	E	2	NA	NA
Cotinga, banded	<i>Cotinga maculata</i>	Brazil	do	do	E	15	NA	NA
Cotinga, white-winged	<i>Xiphocolaptes atropurpurea</i>	China (Tibet)	do	do	E	15	NA	NA
Crane, black-necked	<i>Grus nigricollis</i>	West Indies—Cuba	do	do	E	15	NA	NA
Crane, Cuba sandhill	<i>Grus carneradensis resiliens</i>	Japan, Russia	do	do	E	4	NA	NA
Crane, hooded	<i>Grus monacha</i>	China, Japan, Korea, Russia	do	do	E	3	NA	NA
Crane, Japanese	<i>Grus japonensis</i>	U.S.A. (MS)	do	do	E	6	17.95(b)	NA
Crane, Mississippi sandhill	<i>Grus canadensis pulla</i>	C.I.S. (Siberia) to India, includ- ing Iran and China.	do	do	E	4	NA	NA
Crane, Siberian white	<i>Grus leucogeranus</i>	Mongolia	do	do	E	15	NA	NA
Crane, white-naped	<i>Grus virio</i>	Canada, U.S.A. (Rocky Moun- tains east to Carolinas), Mexico.	do	do	E	1, 3	17.95(f)	NA
Crane, whooping	<i>Grus americana</i>	Entire, except where listed as an exper- imental population.	do	do	E	1, 3	17.95(f)	NA

U.S. Fish and Wildlife Serv., Interior

§ 17.11

§ 17.11

50 CFR Ch. I (10-1-10 Edition)

Species	Common name	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Elepaio, Oahu	<i>Chasiempis sandwichensis ibidis</i> (<i>Chasiempis sandwichensis gavii</i>)	U.S.A. (HI)	Entire	Entire	E	696	17.95(b)	NA
Falcon, Eurasian peregrine	<i>Falco peregrinus peregrinus</i>	Europe, Eurasia south to Africa and Mideast. U.S.A. (AZ, NM, TX), Mexico, Guatemala.do.....	E	15	NA	NA
Falcon, northern aplomado	<i>Falco sparverius septentrionalis</i>	U.S.A. (HI)	Entire, except where listed as an experimental population.	Entire, except where listed as an experimental population.	XN	758	NA	17.84(p)
Falcon, northern aplomado	<i>Falco sparverius septentrionalis</i>	U.S.A. (HI)	Entire	Entire	E	1	NA	NA
Finch, Laysan (honeycreeper)	<i>Telespiza cantans</i>do.....	E	1	NA	NA
Finch, Nihon (honeycreeper)	<i>Telespiza ultima</i>	Argentina, Bolivia, Chile, and Peru.do.....	E	NA	NA
Flamingo, Andean	<i>Phoenicopterus andinus</i>	West Indies—Grenadado.....	E	3	NA	NA
Flycatcher, Euler's	<i>Empidonax euleri johnstonei</i>	Indian Ocean—Seychellesdo.....	E	3	NA	NA
Flycatcher, Seychelles paradise Flycatcher, southwestern willow	<i>Terpsiphone corvina</i>	U.S.A. (AZ, CA, CO, NM, TX, UT), Mexico.do.....	E	577	NA	NA
Flycatcher, Tahiti	<i>Empidonax traillii extimus</i>	South Pacific Ocean—Tahitido.....	E	3	NA	NA
Fody, Mauritius	<i>Pomareaa nigra</i>	Indian Ocean—Mauritiusdo.....	E	571	NA	NA
Fody, Rodrigues	<i>Foudia rubra</i>	Indian Ocean—Rodrigues Is- land (Mauritius).do.....	E	571	NA	NA
Fody, Seychelles (weaver-finch)	<i>Foudia sechellarum</i>	Indian Ocean—Seychelles Djiboutido.....	E	3	NA	NA
Frigatebird, Djibouti	<i>Fregata minor</i>	East Indian Oceando.....	E	571	NA	NA
Frigatebird, Andrew's	<i>Fregata andrewsi</i>	U.S.A. (CA), Mexicodo.....	E	15	NA	NA
Gnatcatcher, coastal California	<i>Polioptila californica</i>	U.S.A. (HI)do.....	T	496	17.95(b)	17.41 (b)
Goose, Hawaiian	<i>Branta (=Nesochen) sandvicensis</i> .	Indian Ocean—Christmas Is- land.do.....	E	1	NA	NA
Goshawk, Christmas Island	<i>Accipiter fasciatus natalis</i>	Mexicodo.....	E	3	NA	NA
Gackle, slender-billed	<i>Quiscalus palustris</i>	Madagascardo.....	E	3	NA	NA
Grasswren, Eyrean (flycatcher)	<i>Tachycineta rufiventer</i>	Guatemalado.....	E	571	NA	NA
Grebe, Alacora	<i>Podilymbus gigas</i>	Russia, Japan, south to Ma- laya, Borneo.do.....	E	3	NA	NA
Grebe, Attlan	<i>Tinga guttifer</i>	Guatemala, Mexicodo.....	E	15	NA	NA
Greenshank, Nordmann's	<i>Oreophasis derbianus</i>	West Africado.....	E	3	NA	NA
Guan, horned	<i>Penelope albipennis</i>	Mediterranean Seado.....	T	401	NA	NA
Guan, white-winged	<i>Agelaius meleagrides</i>	India, Chinado.....	E	571	NA	NA
Guineafowl, white-breasted	<i>Larus audouinii</i>	Ecuador (Galapagos Islands)do.....	E	3	NA	NA
Gull, Audubon's	<i>Larus relictus</i>	U.S.A. (HI)do.....	E	15	NA	NA
Gull, Galapagos	<i>Buteo galapagoensis</i>	U.S.A. (PR)do.....	E	3	NA	NA
Hawk, Hawaiian	<i>Buteo solitarius</i>do.....	E	1	NA	NA
Hawk, Puerto Rican broad-winged.	<i>Buteo platypterus brunneascens</i>do.....	E	550	NA	NA
Hawk, Puerto Rican sharp-shinned.	<i>Accipiter striatus varinator</i>do.....	E	550	NA	NA

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Hermit, hook-billed (hummingbird), Honeycreeper, crested Honeyeater, helmeted	<i>Ramphodidon (=Glauicis) dohrnii</i>	Brazil	do	E	15	NA	NA
	<i>Palmeria dolei</i>	U.S.A. (HI)	do	E	1	NA	NA
	<i>Lichenostomus melanops</i>	Australia	do	E	4	NA	NA
	<i>cassidix</i> (<i>Meliphaga c.</i>)	Thailand, Malaysia	do	E	15	NA	NA
	<i>Buceros (=Rhinopias) vigil</i>	Cambodia, Lao PDR, Thailand, Vietnam.	do	E	760	NA	NA
Ibis, giant	<i>Pseudibis gigantea</i>	China, Japan, Russia, Korea	do	E	3	NA	NA
Ibis, Japanese crested	<i>Nipponia nippon</i>	Southern Europe, south- western Asia, northern Africa, South Pacific Ocean—New Caledonia.	do	E	401	NA	NA
Ibis, northern bald	<i>Geronticus eremita</i>	New Zealand	do	E	3	NA	NA
Kagu	<i>Rhynochetos jubatus</i>	Indian Ocean—Mauritius	do	E	3	NA	NA
Kakapo	<i>Strigops habroptilus</i>	Indian Ocean—Seychelles Is- lands.	do	E	3	NA	NA
Kestrel, Mauritius	<i>Falco areaea</i>	Western Pacific Ocean USA (Guam).	do	E	156	17.95(b)	NA
Kestrel, Seychelles		West Indies—Cuba	do	E	3	NA	NA
Kingfisher, Guam Micronesian	<i>Halcyon cinnamominina</i>	U.S.A. (FL), Cuba	U.S.A. (FL)	E	1	17.95(b)	NA
Kite, Cuba hook-billed	<i>cinnamominina</i> , <i>Chondrohierax uncinatus</i>	West Indies—Grenada	Entire	E	3	NA	NA
Kite, Everglade snail	<i>wilsonii</i>	New Zealand	do	E	571	NA	NA
Kite, Grenada hook-billed	<i>Rostrhamus sociabilis</i>	Atlantic Ocean—Raio Island (Cape Verde).	E	3	NA	NA
Kokako (wattlebird)	<i>Chondrohierax uncinatus mirus</i>	Paraguay, Uruguay, Brazil	do	E	15	NA	NA
Lark, Raso	<i>Calaeas cinerea</i>	Brazil	do	E	15	NA	NA
Alauda razae		do	E	15	NA	NA
Macaw, glaucous	<i>Anodorhynchus glaucus</i>	Paraguay, Uruguay, Brazil	do	E	15	NA	NA
Macaw, indigo	<i>Anodorhynchus leari</i>	do	E	3	NA	NA
Macaw, little blue	<i>Cyanopsitta spixii</i>	do	E	3	NA	NA
Magpie-robin, Seychelles	<i>Copsychus sechellarum</i>	Indian Ocean—Seychelles Is- lands.	do	E	571	NA	NA
(thrush), Malimbe, Ibadan	<i>Malimbus ibadicans</i>	Nigeria	do	E	3	NA	NA
Malikha, red-faced (cuckoo)	<i>Phoenicophaeus</i>	do	E	3	NA	NA
	<i>pyrrhoccephalus</i>	do	E	3	NA	NA
Megapode, Maleo	<i>Macrocephalon maleo</i>	Indonesia (Celebes)	do	E	3	NA	NA
Megapode, Micronesian (=La Perouse's).	<i>Megapodius laperouse</i>	West Pacific Ocean—Palau Is- lands, U.S.A. (Mariana Is- lands).	do	E	3	NA	NA
Millerbird, Nihoa (old world war- bler), Mockingbird, Socorro	<i>Acrocephalus familiaris kingi</i>	U.S.A. (HI)	do	E	1	NA	NA
Moorhen, Hawaiian common	<i>Ninus griseus</i>	Mexico	do	E	760	NA	NA
Moorhen, Mariana common	<i>Galirina chloropus</i>	U.S.A. (HI)	do	E	1	NA	NA
	<i>sanoxicensis</i>	do	E	156	NA	NA
Murrelet, marbled	<i>Brachyramphus marmoratus</i>	West Pacific Ocean—U.S.A. (Guam, Tinian, Saipan, Pagan), U.S.A. (AK, CA, OR, WA), Canada (B.C.).	U.S.A. (CA, OR, WA)	T	479	17.95(b)	NA
Nightjar, Puerto Rican	<i>Caprimulgus noctitherus</i>	U.S.A. (PR)	Entire	E	6	NA	NA

§ 17.11

50 CFR Ch. I (10-1-10 Edition)

Species	Common name	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Nukupū'u (honeycreeper)		<i>Hemignathus lucidus</i>	U.S.A. (HI)do.....	E	1,2	NA	NA
Nuthatch, Algerian		<i>Sitta ledanti</i>	U.S.A. (HI)do.....	E	571	NA	NA
'O'o, Kauai (honeyeater)		<i>Moho braccatus</i>	U.S.A. (HI)do.....	E	1	NA	NA
Ostrich, Arabian		<i>Struthio camelus syracus</i>	Jordan, Saudi Arabiado.....	E	3	NA	NA
Ostrich, West African		<i>Struthio camelus spatzii</i>	Spanish Saharado.....	E	3	NA	NA
'Ou (honeycreeper)		<i>Ptilirostra psilota</i>	U.S.A. (HI)do.....	E	1	NA	NA
Owl, Anjouan scops		<i>Otus rufilatus capnodes</i>	Indian Ocean—Comoro Islanddo.....	E	3	NA	NA
Owl, giant scops		<i>Mimizuku</i> (= <i>Otus</i>) <i>gurneyi</i>	Philippines—Marindique and Mindanao Islanddo.....	E	15	NA	NA
Owl, Madagascar red		<i>Tyto soumagnei</i>	Madagascardo.....	E	401	NA	NA
Owl, Mexican spotted		<i>Strix occidentalis lucida</i>	U.S.A. (AZ, CO, NM, TX, UT), Mexicodo.....	T	494	17.95(b)	NA
Owl, northern spotted		<i>Strix occidentalis caurina</i>	U.S.A. (CA, OR, WA), Canada (B.C.)do.....	T	393	17.95(b)	NA
Owl, Seychelles scops		<i>Otus magicus</i> (= <i>insularis</i>) <i>insularis</i>	Indian Ocean—Seychelles Islandsdo.....	E	3	NA	NA
Owlet, Morden's		<i>Otus Ireneae</i>	Kenyado.....	E	3	NA	NA
Oystercatcher, Canarian black		<i>Haematopus meadewaldoi</i>	Atlantic Ocean—Canary Islandsdo.....	E	571	NA	NA
Palia (honeycreeper)		<i>Loxiodia bailleui</i>	U.S.A. (HI)do.....	E	1	17.95(b)	NA
Parakeet, blue-throated (=ochre-marked)		<i>Eutrichomyias rowleyi</i>	Indonesiado.....	E	760	NA	NA
Parakeet, turquoise		<i>Pyrrhura cruentata</i>	Brazildo.....	E	3	NA	NA
Parakeet, 'Forbes'		<i>Cyanoramphus auriceps</i> <i>forbesi</i>	New Zealanddo.....	E	3	NA	NA
Parakeet, golden		<i>Aratinga guarouba</i>	Brazildo.....	E	15	NA	NA
Parakeet, golden-shouldered		<i>Psephotus chrysotis</i> <i>gouldii</i>	Indian Ocean—Mauritiusdo.....	E	3	NA	NA
Parakeet, Mauritius		<i>Psittacula echo</i>	Australia (Norfolk Island)do.....	E	3	NA	NA
Parakeet, Norfolk Island		<i>Cyanoramphus cookii</i> (<i>=novaezealandiae c.</i>)	Australiado.....	E	401	NA	NA
Parakeet, orange-billed		<i>Neophema chrysogaster</i>	Australiado.....	E	4	NA	NA
Parakeet, paradise		<i>Psephotus pulcherrimus</i>do.....do.....	E	4	NA	NA
Parakeet, scarlet-chested		<i>Neophema splendida</i>do.....do.....	E	4	NA	NA
Parakeet, turquoise		<i>Neophema pulchella</i>	West Indies—Cuba, Bahamas, Caymansdo.....	E	3, 15	NA	NA
Parrot, Bahamian or Cuban		<i>Amazona leucocephala</i>	Australiado.....	E	6	NA	NA
		<i>Pezronius wallicus</i>	West Indies—Dominicado.....	E	3	NA	NA
		<i>Amazona imperialis</i>	Australiado.....	E	1	NA	NA
		<i>Geopspicatus occidentalis</i>	U.S.A. (PR)do.....	E	3	NA	NA
		<i>Amazona vittata</i>	Brazildo.....	E	3	NA	NA
		<i>Amazona rhodocorytha</i>do.....do.....	E	3	NA	NA
		<i>Pionopsitta pileata</i>	West Indies—Dominicado.....	E	15	NA	NA
		<i>Amazona arausiaca</i>	Brazil, Argentinado.....	E	50	NA	NA
		<i>Amazona pretrei pretrei</i>	Brazildo.....	E	15	NA	NA
		<i>Amazona brasiliensis</i>	Brazildo.....	E	401	NA	NA

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Parrot, Seychelles lesser vasa ...	<i>Coracopsis nigra baulki</i>	Indian Ocean—Seychelles (Parslin Island), West Indies—St. Vincent West Indies—St. Lucia Mexico, U.S.A. (AZ, NM) Brazil (H) U.S.A. (H)	do do Mexico Entire do do	E	NA
Parrot, St. Vincent	<i>Amazona guildingii</i>	do do Mexico do	do do Mexico EEE	E	3
Parrot, St. Lucia	<i>Amazona versicolor</i>	do do Mexico do	do do Mexico EEE	E	3
Parrot, thick-billed	<i>Rhynchositta pachyrrhyncha</i>	do do Mexico do	do do Mexico EEE	E	3
Parrot, vinaceous-breasted	<i>Amazona vinacea</i>	do do Mexico do	do do Mexico EEE	E	15
Parrotbill, Maii (honeycreeper)	<i>Pseudonestor xanthophrys</i>	do do Mexico do	do do Mexico EEE	E	1
Penguin, erect-crested	<i>Eudyptes sclateri</i>	do do New Zealand, Bounty Islands and Antipodes Islands, New Zealand, South Island and offshore islands.	do do New Zealand, South Island and offshore islands.	T	771
Penguin, Fiordland crested	<i>Eudyptes pachyrhynchos</i>	do do Ecuador (Galapagos Islands) .. Eastern Pacific Ocean—Chile, Peru.	do do New Zealand, South Island and offshore islands.	T	771
Penguin, Galapagos	<i>Spheniscus mendiculus</i>	do do do do	do do do do	E	3
Penguin, Humboldt	<i>Spheniscus humboldti</i>	do do do do	do do do do	T	771
Penguin, white-flipped	<i>Eudyptula minor albosignata</i>	do do do do	do do do do	T	771
Penguin, yellow-eyed	<i>Megadyptes antipodes</i>	do do do do	do do do do	T	771
Petrel, Chatham	<i>Pterodroma axillaris</i>	do do do do	do do do do	E	763
Petrel, Fiji	<i>Pseudobulweria macgillivrayi</i>	do do do do	do do do do	E	763
Petrel, Galapagos	<i>Pterodroma phaeopygia</i>	do do do do	do do do do	T	766
Petrel, Hawaiian dark-rumped	<i>Pterodroma phaeopygia sandwichensis</i>	do do do do	do do do do	E	1
Petrel, Madeira	<i>Pterodroma madeira</i>	do do do do	do do do do	E	571
Petrel, magenta	<i>Pterodroma magnifica</i>	do do do do	do do do do	E	763
Petrel, Macarene black	<i>Pterodroma aterrina</i>	do do do do	do do do do	E	571
Pheasant, bar-tailed	<i>Syrmaticus humiae</i>	do do do do	do do do do	E	3
Pheasant, Blyth's tragopan	<i>Tragopan blythii</i>	do do do do	do do do do	E	3
Pheasant, brown eared	<i>Crossocercus manchuricum</i>	do do do do	do do do do	E	3
Pheasant, Cabot's tragopan	<i>Tragopan caboti</i>	do do do do	do do do do	E	3
Pheasant, cheer	<i>Catrurus wallichii</i>	do do do do	do do do do	E	3
Pheasant, Chinese monal	<i>Lophophorus impejanus</i>	do do do do	do do do do	E	401
Pheasant, Edwards'	<i>Lophura edwardsi</i>	do do do do	do do do do	E	3
Pheasant, Elliot's	<i>Syrmaticus ellioti</i>	do do do do	do do do do	E	15
Pheasant, imperial	<i>Lophura imperialis</i>	do do do do	do do do do	E	3
Pheasant, Mikado	<i>Syrmaticus mikado</i>	do do do do	do do do do	E	3
Pheasant, Palawan peacock	<i>Polycichloron emphanum</i>	do do do do	Philippines do do do	EE	3
Pheasant, Schalater's monal	<i>Lophophorus sclateri</i>	do do do do	Burma, China, India Taiwan do do	EE	3
Pheasant, Swinhoe's	<i>Lophura swinhoii</i>	do do do do	do do do do	EE	3
Pheasant, western tragopan	<i>Tragopan melanocephalus</i>	do do do do	India, Pakistan China (Tibet), India do do	EE	3
Pigeon, Azores wood	<i>Columba palumbus azorica</i>	do do do do	East Atlantic Ocean—Azores New Zealand do do	EE	4
Pigeon, Chatham Island	<i>Hemiphaga novaeseelandiae chathamensis</i>	do do do do	do do do do	EE	3

§ 17.11

50 CFR Ch. I (10-1-10 Edition)

Species	Common name	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Pigeon, Mindoro imperial (=zone-tailed).	<i>Ducula mindorensis</i>	<i>Philippines</i>	E	15	NA	NA
Pigeon, pink	<i>Columba mayeri</i>	Indian Ocean—Mauritius	E	571	NA	NA
Pigeon, Puerto Rican plain	<i>Columba inornata wetmorei</i>	U.S.A. (PR)	E	2	NA	NA
Pigeon, white-tailed laurel	<i>Columba junoniae</i>	Atlantic Ocean—Canary Islands	T	571	NA	NA
Piping-guan, black-fronted	<i>Pipile jacutinga</i>	Argentina	E	15	NA	NA
Pitta, Gurney's	<i>Pitta gurneyi</i>	Myanmar, Thailand	E	760	NA	NA
Pitta, Koch's	<i>Pitta kochi</i>	Philippines	E	15	NA	NA
Plover, New Zealand shore	<i>Thinornis novaeseelandiae</i>	New Zealand	E	3	NA	NA
Plover, piping	<i>Charadrius melanotos</i>	U.S.A. (Great Lakes, northern Great Plains, Atlantic and Gulf Coasts, PR, VI), Canada, Mexico, Bahamas, West Indies, U.S.A. (Great Lakes, northern Great Plains, Atlantic and Gulf Coasts, PR, VI), Canada, Mexico, Bahamas, West Indies.	Great Lakes, watershed in States of IL, IN, MI, MN, NY, OH, PA, and WI and Canada (Ont.).	E	211	17.95(b)	NA
Plover, piping	<i>Charadrius melanotos</i>	T	211	17.95(b)	NA
32	Plover, western snowy	<i>Charadrius alexandrinus nivosus</i> .	U.S.A. (CA, CO, KS, NM, NV, OK, OR, TX, UT, WA), Mexico.	U.S.A. (CA, OR, WA), Mexico (within 50 miles of Pacific coast).	T	493	17.95(b)	NA
Pochard, Madagascar	<i>Aythya innotata</i>	Madagascar	E	571	NA	NA
Po'ouli (honeycreeper)	<i>Melaniparus cyanocephalus</i>	U.S.A. (HI)	E	10	NA	NA
Prairie-chicken, Attwater's greater.	<i>Tympanuchus cupido attwateri</i>	U.S.A. (TX)	E	1	NA	NA
Puffleg, black-breasted	<i>Eriocnemis nigrivestis</i>	Ecuador, South America	E	767	NA	NA
Quail, Merlamps' Montezuma	<i>Cyrtonyx montezumae</i>	Mexico (Vera Cruz)	E	15	NA	NA
Quetzal, resplendent	<i>Pharomachrus mocinno</i>	Mexico to Panama	E	15	NA	NA
Rail, Aukland Island	<i>Rallus pectoralis muelleri</i>	New Zealand	E	3	NA	NA
Rail, California clapper	<i>Rallus longirostris obsoletus</i>	U.S.A. (CA)	E	2	NA	NA
Rail, Guam	<i>Rallus osborni</i>	Western Pacific Ocean—U.S.A. (Guam).	E	146E, 156, 371	NA	NA
Do	XN	371	17.84(f)	NA
Rail, light-footed clapper	<i>Rallus longirostris levipes</i>	U.S.A. (CA), Mexico (Baja California).	U.S.A. only	E	2	NA	NA
Rail, Lord Howe wood	<i>Gallirallus (=Tricholimnas) sylvestris</i> .	Australia (Lord Howe Island)	E	15	NA	NA
Rail, Yuma clapper	<i>Rallus longirostris yumanensis</i>	Mexico, U.S.A. (AZ, CA)	U.S.A. only	E	1	NA	NA
Rhea, lesser (incl. Darwin's)	<i>Rhea (=Pterocnemia) pennata</i>	Argentina, Bolivia, Peru, Uruguay.	Entire	E	3	NA	NA
Robin, Chatham Island	<i>Petroica traversi</i>	New Zealand	E	3	NA	NA
Robin, dappled mountain	<i>Acanthorhynchus tenuirostris</i>	Mozambique, Tanzania	T	571	NA	NA

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Robin, scarlet-breasted (flycatcher).	<i>Petroica multicolor multicolor</i> ...	Australia (Norfolk Island)	E	3	NA	NA
Rocktowl, grey-necked	<i>Picathartes oreas</i>	Cameroun, Gabon	E	3	NA	NA
Rocktowl, white-necked	<i>Picathartes gymnocephalus</i>	Africa—Togo to Sierra Leone ..	E	3	NA	NA
Roller, long-tailed ground	<i>Uratelornis chimaera</i>	Malagasy Republic (=Madagascar).	E	3	NA	NA
Scrub-bird, noisy	<i>Atrichornis clamosus</i>	Australia	E	3	NA	NA
Scrub-jay, Florida	<i>Aphelocephala coerulescens</i>	U.S.A. (FL)	T	267	NA	NA
Shama, Cebu black (thrush)	<i>Copsychus niger cebuanensis</i>	Philippines	E	3	NA	NA
Shearwater, Heinroth's	<i>Puffinus heinrothi</i>	Pacific Ocean—Papa New Guinea (Bougainville Island), Solomon Islands (Kolombangara and Rendova), U.S.A. (HI)	T	766	NA	NA
Shearwater, Newell's Town-sends.	<i>Puffinus auricularis newelli</i>	U.S.A. (CA)	do
Shrike, San Clemente logger-head.	<i>Lanius ludovicianus mearnsi</i> ...	South America	do
Siskin, red	<i>Carduelis cucullata</i>	U.S.A. (FL)	do
Sparrow, Cape Sable seaside	<i>Ammodramus maritimus</i> ...	mirabilis.	do
Sparrow, Florida Grasshopper ...	<i>Ammodramus savannarum</i> ...	floridanus.	do
Sparrow, San Clemente sage	<i>Amphispiza belli clementae</i> ...	U.S.A. (CA)	do
Sparrowhawk, Aljukan Island	<i>Accipiter francesii pusillus</i>	Indian Ocean—Comoro Islands	do
Starling, Ponape mountain	<i>Aplonis pezzei</i>	West Pacific Ocean—Federated States of Micronesia.	do
Starling, Rothschild's (myna)	<i>Leucosarcus rothschildii</i>	Indonesia (Bali)	do
Stilt, black	<i>Himantopus novaezealandiae</i>	New Zealand	do
Stilt, black	<i>Himantopus mexicanus</i> ...	U.S.A. (HI)	do
Stork, oriental white	<i>(Himantopus) kruegeri</i> . <i>Ciconia boyciana</i> (= <i>ciconia b.</i>)	China, Japan, Korea, Russia ..	do
Stork, wood	<i>Mycteria americana</i>	U.S.A. (CA, AZ, TX to Caro-Linas), Mexico, C. and S. America.	U.S.A. (AL, FL, GA, SC)	do
Sunbird, Marungu	<i>Nectarinia prigoginei</i>	Zaire	Entire
Swiftlet, Mariana gray	<i>Aerodramus vanikorensis</i> barbata.	Western Pacific Ocean—U.S.A. (Guam, Rota, Tinian, Saipan, Agiguan).	do	571	NA
Teal, Campbell Island flightless ..	<i>Anas aucklandica nesiotis</i>	New Zealand (Campbell Island).	do	156	NA
Tern, California least	<i>Sterna antillarum browni</i>	Mexico, U.S.A. (CA)	do
Tern, least	<i>Sterna antillarum</i>	U.S.A. (Atlantic and Gulf coasts, Miss. R. and trib. N of Baton Rouge, MS—Miss. R., MO, MT, ND, NE, NM, OK, SD, TN, TX—except within 50 miles of coast).	U.S.A. (AP, CO, IA, IL, IN, KS, KY, LA—Miss. R. and trib. N of Baton Rouge, MS—Miss. R., MO, MT, ND, NE, NM, OK, SD, TN, TX—except within 50 miles of coast).	do	15	NA
Tern, roseate	<i>Sterna dougallii dougallii</i>	Tropical and temperate coasts of Atlantic Basin and East Africa.	U.S.A. (Atlantic Coast south to NC), Canada (Newf., N.S., Que.), Bermuda.	do	2,3	NA
					296	NA

§ 17.11

50 CFR Ch. I (10-1-10 Edition)

Species	Common name	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Dodododo	Western Hemisphere and adjacent oceans, incl. U.S.A. (FL, PR, VI), where not listed as endangered.	T	296	NA	NA
Thicketbird long-legged	<i>Trichocichla rufa</i>	Fiji West Indies—St. Lucia, Martinique, U.S.A. (HI)	E do	E do	E	760	NA	NA
Thrasher, white-breasted	<i>Ramphocinclus brachyurus</i>	New Zealand	E do	E do	E	3	NA	NA
Thrush, large Kauai	<i>Myadestes myadestinus</i>	U.S.A. (HI)	E do	E do	E	2	NA	NA
Thrush, Molokai	<i>Myadestes lanaiensis rufa</i>	New Zealand	E do	E do	E	3	NA	NA
Thrush, New Zealand (Wattlebird)	<i>Turnagra capensis</i>	U.S.A. (HI)	E do	E do	E	1	NA	NA
Thrush, small Kauai	<i>Myadestes palmeri</i>	West Indies—St. Lucia	E do	E do	E	NA	NA	NA
Thrush, St. Lucia forest	<i>Cichlherminia lherminieri sanctaeluciae</i>	Kenya Brazil, Paraguay, Argentina U.S.A. (CA)	E do	E do	E	571	NA	NA
Thrush, Tala	<i>Turdus olivaceus helleri</i>	Ecuador (Galapagos Islands)	E do	E do	E	15	NA	NA
Tinamou, solitary	<i>Tinamus solitarius</i>	West Indies—Martinique	E do	E do	E	282	17.95(b)	NA
Towhee, Inyo California	<i>Pipilo crissalis eremophilus</i>	Cameroon	E do	E do	E	767	NA	NA
Tree-finch, medium	<i>Xanthopsaris pauper</i>	<i>Cinclocerthia ruficauda gutturalis</i>	E do	E do	E	3	NA	NA
Trembler, Martinique (thrasher)	<i>Turdaco bannermani</i>	Cameroon	E do	E do	E	571	NA	NA
Turaco, Bannerman's	<i>Streptocitta picturata rostrata</i>	Indian Ocean—Seychelles	E do	E do	E	571	NA	NA
Turtle-dove, Seychelles	<i>Xenopodius poleni</i>	Madagascar	E do	E do	E	571	NA	NA
Vanga, Polien's	<i>Xenopodius damii</i>	U.S.A. (KS, LA, NE, OK, TX), Mexico, Australia	E do	E do	E	294	NA	NA
Vanga, Van Dam's	<i>Vireo atricapillus</i>	E do	E do	E do	E	571	NA	NA
Vireo, black-capped	<i>Vireo bellii pusillus</i>	U.S.A. (CA), Mexico	E do	E do	E	228	17.95(b)	NA
Vireo, least Bell's	<i>Pedionomus torquatus</i>	Australia	E do	E do	E	6	NA	NA
Wanderer, plain (colared-hemipode)	<i>Nesillas aldabranus</i>	Indian Ocean—Seychelles (Aldabra Island)	E do	E do	E	571	NA	NA
Warbler, Aldabra (old world warbler)	<i>Vermivora bachmani</i>	West Indies—Barbados	E do	E do	E	1, 3	NA	NA
Warbler (wood), Bachman's	<i>Dendroica petechia petechia</i>	U.S.A. (TX), Mexico, Guatemala, Honduras, Nicaragua, Belize	E do	E do	E	387E, 411	NA	NA
Warbler (wood), Barbetos yellow	<i>Dendroica chrysopana</i>	U.S.A. (principally MI), Canada, West Indies—Bahama Islands	E do	E do	E	1, 3	NA	NA
Warbler (wood), golden-cheeked	<i>Dendroica kirtlandii</i>	West Pacific Ocean—U.S.A. (Guam, Alamanan, Saipan), Mauritius (Rodrigues Islands)	E do	E do	E	3, 4	NA	NA
Warbler, nightingale reed, (old world warbler)	<i>Acrocephalus luscinius</i>	West Indies—St. Lucia	E do	E do	E	3	NA	NA
Warbler, Rodrigues (old world warbler)	<i>Beccornis rodERICANUS</i>	Indian Ocean—Seychelles Island	E do	E do	E	3	NA	NA
Warbler (wood), Sempers	<i>Leucopiza seimperi</i>	Cameroon	E do	E do	E	3	NA	NA
Warbler, Seychelles (old world warbler), banded	<i>Beccornis sechellensis</i>	Platysteira laticeincta	E do	E do	E	571	NA	NA

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Weaver, Clarke's	<i>Ploceus galbula</i>	Kenya	E	571	NA
Whipbird, western	<i>Psophodes nigrogularis</i>	Australia	E	3	NA
White-eye, bridled	<i>Zosterops conspicillatus</i>	West Pacific Ocean—U.S.A. (Guam)	E	156	NA
	<i>Zosterops conspicillatus</i>	Indian Ocean—Norfolk Islands	E	15	NA
	<i>Zosterops albogularis</i>	West Pacific Ocean—Federated States of Micronesia.	E	3	NA
White-eye, Norfolk Island	<i>Rukia longirostra</i>	Western Pacific Ocean—U.S.A. (Commonwealth of the Northern Mariana Islands).	E	741	17.95(b)
White-eye, Poropas greater	<i>Zosterops rotensis</i>	Indian Ocean—Seychelles	E	3	NA
White-eye, Rota bridled	<i>Zosterops modesta</i>	U.S.A. (southcentral and southeastern), Cuba.	E	3	NA
White-eye, Seychelles	<i>Campetherus imperialis</i>	U.S.A. (southcentral and southeastern), Seychelles	E	1,3	NA
Woodpecker, imperial	<i>Campetherus principalis</i>	U.S.A. (southeastern), Mexico	E	2	NA
Woodpecker, ivory-billed	<i>Picoides borealis</i>	U.S.A. (southeastern) and southeastern,	E	3	NA
Woodpecker, red-cockaded	<i>Dryobates luteus richardsoni</i>	Korea	E	3	NA
Woodpecker, Tristan's	<i>Eulidura yarelli</i>	Chile and Peru	E	3	NA
Woodstar, Chilean	<i>Traglodytes aedon guadeloupensis</i>	West Indies—Guadeloupe	E	3	NA
Wren, Guadeloupe house	<i>Traglodytes aedon mesoleucus</i>	West Indies—St. Lucia	E	3	NA
Wren, St. Lucia house	<i>Alligator mississippiensis</i>	Southeastern U.S.A.	T(S/A)	1, 11, 20, 51, 60, 113, 134, 186, 269	17.42(a)
REPTILES		China	E	15	NA
Alligator, American	<i>Alligator sinensis</i>	U.S.A. (PR—Culebra Island) ...	E	25	17.95(c)
	<i>Anolis roseovelli</i>	Jamaica	E	3	NA
	<i>Epicrates subflavus</i>	U.S.A. (PR) ...	T	33	17.95(c)
	<i>Epicrates monensis monensis</i>	do	E	2	NA
	<i>Epicrates normalis</i>	Indian Ocean—Mauritius	E	88	NA
	<i>Bolyeria roundirostris</i>	do	E	88	NA
	<i>Casarea dussumieri</i>	U.S.A. (PR), British Virgin Islands.	E	2, 86	NA
	<i>Epicrates monensis grantii</i>	Colombia	E	15	NA
	<i>Caiman crocodilus apaporiensis</i>	Amazon basin	E	15	NA
	<i>Caiman latirostris</i>	Brazil, Argentina, Paraguay, Uruguay,	E	15	NA
	<i>Caiman crocodilus fuscus</i> (includes <i>Caiman crocodilus chiapasius</i>)	Mexico, Central America, Colombia, Ecuador, Venezuela, Peru.	T(S/A)	695	17.42(g)
	<i>Caiman crocodilus crocodilus</i> ..	Brazil, Colombia, Ecuador, French Guyana, Guyana, Suriname, Venezuela, Bolivia, Peru.	T(S/A)	695	NA
	<i>Caiman yacare</i> ..	Argentina, Bolivia, Brazil, Paraguay.	T	3, 695	NA
					17.42(g)

§ 17.11

50 CFR Ch. I (10-1-10 Edition)

Species	Common name	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Chuckwalla, San Esteban Island Crocodile, African dwarf	<i>Sauromalus varius</i> <i>Osteolaemus tetraspis</i>	Mexico West Africa	do do	E E	88 15, 15A	NA NA	NA NA	NA NA
Crocodile, African slender-snouted ed.	<i>Crocodylus cataphractus</i>	Western and central Africa	do	E	5	NA	NA	NA
Crocodile, American	<i>Crocodylus acutus</i>	U.S.A. (FL), Mexico, Caribbean, Central and South America.	Entire, except in U.S.A. (FL)	E	87	NA	NA	NA
Do	do	U.S.A. (FL) U.S.A. (FL), Mexico, Caribbean, Central and South America.	U.S.A. (FL) Entire	T E	10 10, 87	17.95(c) 17.95(c)	NA NA	NA NA
Crocodile, American	<i>Crocodylus acutus</i>	do	do	E	15	NA	NA	NA
Crocodile, Ceylon mugger	<i>Crocodylus palustris kimbula</i>	Sri Lanka	do	E	15	NA	NA	NA
Crocodile, Congo dwarf	<i>Osteolaemus tetraspis osborni</i>	Congo R. drainage	do	E	15	NA	NA	NA
Crocodile, Cuban	<i>Crocodylus rhombifer</i>	Cuba	do	E	3	NA	NA	NA
Crocodile, Morelet's	<i>Crocodylus moreletii</i>	Mexico, Belize, Guatamala	do	E	3	NA	NA	NA
Crocodile, mugger	<i>Crocodylus palustris palustris</i>	India, Pakistan, Iran, Bangladesh, Africa, Middle East	do	E	15	NA	NA	NA
Crocodile, Nile	<i>Crocodylus niloticus</i>	do	do	T	3, 279, 514, 585	17.42(c) 334,	NA	NA
Crocodile, Orinoco	<i>Crocodylus intermedius</i>	South America—Orinoco R. basin.	do	E	3	NA	NA	NA
Crocodile, Philippine	<i>Crocodylus novaeguineae mingorensis</i>	Philippine Islands	do	E	15	NA	NA	NA
Crocodile, saltwater	<i>Crocodylus porosus</i>	Southeast Asia, Australia, Papua New Guinea, Islands of the West Pacific Ocean.	Entire, except Papua New Guinea and Australia.	E	87, 585	NA	NA	NA
Do	do	do	Australia	T	87, 585	NA	NA	17.42(c)
Crocodile, Siamese	<i>Crocodylus siamensis</i>	do	Entire	E	15	NA	NA	NA
Gavial	<i>Gavialis gangeticus</i>	Pakistan, Burma, Bangladesh, India, Nepal.	do	E	3	NA	NA	NA
Gecko, day	<i>Phelsuma edwardnewtoni</i>	Indian Ocean—Mauritius	do	E	3	NA	NA	NA
Gecko, Monito	<i>Sphaerodactylus micropothecus</i>	U.S.A. (PR)	do	E	125	17.95(c)	NA NA	NA NA
Gecko, Round Island day	<i>Phelsuma guentheri</i>	Indian Ocean—Mauritius	do	E	3	NA	NA	NA
Gecko, Serpent Island	<i>Cyrtodactylus serpensinsula</i>	do	do	T	129	NA	NA	NA
Iguana, Ackline's ground	<i>Cyclura lewisi nuchalis</i>	West Indies—Bahamas	do	T	129	NA	NA	NA
Iguana, Allen's Cay	<i>Cyclura cyclura inornata</i>	do	do	T	129	NA	NA	NA
Iguana, Andros Island ground	<i>Cyclura cyclura cyclura</i>	do	do	T	129	NA	NA	NA
Iguana, Angada ground	<i>Cyclura pinguis</i>	do	do	E	3	NA	NA	NA
Iguana, Barrington land	<i>Conolophus pallidus</i>	West Indies—British Virgin Islands (Anegada Island).	do	E	3	NA	NA	NA
Iguana, Cayman Brac ground	<i>Cyclura nubila caymanensis</i>	Ecuador (Galapagos Islands)	do	T	129	NA	NA	NA
Iguana, Cuban ground	<i>Cyclura nubila nubila</i>	West Indies—Cayman Islands	do	T	129	NA	NA	NA
Iguana, Exuma Island	<i>Cyclura cyclura figginsi</i>	West Indies—Bahamas	do	T	129	NA	NA	NA

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Iguana, Fiji banded	Pacific—Fiji, Tonga	do	NA
Iguana, Fiji crested	Pacific—Fiji	do	NA
Iguana, Grand Cayman ground	West Indies—Cayman Islands	do	NA
Iguana, Jamaican	West Indies—Jamaica	do	NA
Iguana, Mayaguana	West Indies—Bahamas	do	NA
Iguana, Mona ground	U.S.A. (PR—Mona Island)	do	17.95(c)
Iguana, Turks and Caicos	West Indies—Turks and Caicos Islands,	do	NA
Iguana, Watling Island ground	West Indies—Bahamas	do	NA
Iguana, White Cay ground	U.S.A. (CA)	do	NA
Lizard, blunt-nosed leopard	Gambia, Siùs	do	NA
Lizard, Cochella Valley fringe-toed	Uma inornata	do	17.95(c)
Lizard, Hiero giant	Spain (Canary Islands)	do	NA
Lizard, Ibiza wall	Spain (Balearic Islands)	do	NA
Lizard, Island night	U.S.A. (CA)	do	NA
Lizard, Maria island ground	West Indies—St. Lucia (Maria Islands),	do	NA
Lizard, St. Croix ground	U.S.A. (VI)	do	17.95(c)
Monitor, desert	North Africa to Aral Sea, through Central Asia to Pakistan, Northwest India.	do	NA
Monitor, Indian (=Bengal)	Iran, Iraq, India, Sri Lanka, Malaysia, Afghanistan, Burma, Vietnam, Thailand.	do	NA
Monitor, Komodo Island	Indonesia (Komodo, Rintja, Padar, and western Flores Island).	do	NA
Monitor, yellow	West Pakistan through India to Bangladesh.	do	NA
Python, Indian	Sri Lanka and India	do	NA
Rattlesnake, Aruba Island	Aruba Island (Netherlands Antilles).	do	NA
Rattlesnake, New Mexican ridgenosed	U.S.A. (AZ, NM), Mexico	do	NA
Sea turtle, green	Circumglobal in tropical and temperate seas and oceans.	do	NA
Do	Wherever found except where listed as endangered.	do	NA
Sea turtle, hawksbill	Tropical seas	Entire	17.95(c)
Sea turtle, Kemp's ridley	Tropical and temperate seas in Atlantic Basin, inc. Gulf of Mexico.	do	224.104
Sea turtle, leatherback	Tropical, temperate, and subpolar seas.	do	224.104
		E	3
		E	4
		E	3
		E	226.207

§ 17.11

50 CFR Ch. I (10-1-10 Edition)

Common name	Species	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Sea turtle, loggerhead	<i>Caretta caretta</i>		Circumglobal in tropical and temperate seas and oceans.do	T	42	NA	17.42(b), 223.205,
Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>		Circumglobal in tropical and temperate seas.	Wherever found except where listed as endangered below.	T	42	NA	223.206, 223.207, 17.42(b), 223.205,
Dododo	Breeding colony populations on Pacific coast of Mexico.	E	42	NA	224.104
Skink, bluetail mole	<i>Eumecees egregius lividus</i>		U.S.A. (FL)	Entire	T	299	NA	17.42(d)
Skink, Round Island	<i>Leiolopisma telfairi</i>		Indian Ocean—Mauritiusdo	T	129	NA	NA
Skink, sand	<i>Neoseps reynoldsi</i>		U.S.A. (FL)do	T	299	NA	17.42(d)
Snake, Atlantic salt marsh	<i>Nerodia clarkii taeniata</i>		U.S.A. (TX)do	T	30	NA	NA
Snake, Concho Water	<i>Nerodia paucimaculata</i>		U.S.A. (IL, IN, KY, MI, OH)	IN north of 40° N. Lat., MI, OH	T	241	NA	17.95(c)
Snake, copperbelly water	<i>Nerodia erythrogaster neglecta</i>		U.S.A. (AL, FL, GA, MS, SC)	Entire	T	607	NA	NA
Snake, eastern indigo	<i>Dipsaschionotus cooperi</i>		U.S.A. (CA)do	T	32	NA	NA
Snake, giant garter	<i>Thamnophis gigas</i>		U.S.A. (OH), Canada (Ont.)	Lake Erie offshore islands and their adjacent waters (located more than 1 mile from mainland)—U.S.A. (OH), Canada (Ont.).	T	522	NA	NA
Snake, Lake Erie water	<i>Nerodia sipedon insulatum</i>		Entiredo	T	665	NA	NA
Snake, Maria Island	<i>Liopholis ornatus</i>		West Indies—St. Lucia (Maria Islands), U.S.A. (CA)	Entire	E	443	NA	NA
Snake, San Francisco garter	<i>Thamnophis sirtalis terrelataenia</i>		South America—Orinoco R. and Amazon R. basins, Malaysia, Bangladesh, Burma, India, Indonesia, Malaysia, Indonesiado	E	1	NA	NA
Tartaruga	<i>Podocnemis expansa</i>dodo	E	3	NA	NA
Terrapin, river	<i>Batagur baska</i>dodo	E	3	NA	NA
Tomistoma	<i>Tomistoma schlegelii</i>dodo	E	15	NA	NA
Tortoise, angulated	<i>Geochelone yniphora</i>		Malaysia, Indonesiado	E	15	NA	NA
Tortoise, Bolson	<i>Gopherus flavomarginatus</i>		Mexicodo	E	46	NA	NA
Tortoise, desert	<i>Gopherus agassizii</i>		U.S.A. (AZ, CA, NV, UT), Mexico	Entire, except AZ south and east of Colorado R., and Mexico.	T	103, 357E, 378	17.95(c)	NA
Dododo	AZ south and east of Colorado R., and Mexico, when found outside of Mexico or said range in AZ.	T(S/A)	378	NA	17.42(e)
Tortoise, Galapagos	<i>Geochelone nigra</i> (=elephantopus).		Ecuador (Galapagos Islands)	Entire	E	3	NA	NA
Tortoise, gopher	<i>Gopherus polyphemus</i>		U.S.A. (AL, FL, GA, LA, MS, SC)	Wherever found west of Mobile and Tombigbee Rivers in AL, MS, and LA.	T	281	NA	NA
Tortoise, Madagascar radiated ...	<i>Geochelone radiata</i>	(=Madagascar).	Madagascar Republic	Entire	E	3	NA	NA

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Tracajá	<i>Podocnemis unifilis</i>	South America—Orinoco R. and Amazon R. basins.	do	E 3	NA	NA
Tuatará	<i>Sphenodon punctatus</i>	New Zealand	do	E 3, 630	NA	NA
Tuatará, Brother's Island	<i>Sphenodon guntheri</i>	New Zealand (N. Brother's Island).	do	E 3, 630	NA	NA
Turtle, Alabama redbelly	<i>Pseudemys alabamensis</i>	U.S.A. (AL)	do	E 278	NA	NA
Turtle, aquatic box	<i>Terrapene coahuila</i>	Mexico	do	E 6	NA	NA
Turtle, black softshell	<i>Trionyx nigricans</i>	Bangladesh	do	E 15	NA	NA
Turtle, bog (=Mühlenberg)	<i>Clemmys muhlenbergii</i>	U.S.A. (CT, DE, GA, MA, MD, NC, NJ, NY, PA, SC, TN, VA).	Entire, except GA, NC, SC, TN, VA	E 626	NA	NA
Do	<i>Phrynops hogei</i>	Brazil	U.S.A. (GA, NC, SC, TN, VA)	17.42(f)		
Turtle, Brazilian side-neck	<i>Morenia ocellata</i>	Burma	Entire	E 626	NA	NA
Turtle, Burmese peacock	<i>Trachemys terrapen</i>	West Indies—Jamaica, Bahamas.	do	E 443	NA	NA
Turtle, Cat Island	<i>Deratemys mawii</i>	Mexico, Belize, Guatemala	Entire	E 15	NA	NA
Turtle, Central American river	<i>Trionyx stictiger</i>	U.S.A. (AL)	do	E 443	NA	NA
Turtle, Chaco Cienegas softshell	<i>Sternotherus depressus</i>	Mexico	Black Warrior R. system upstream from Bankhead Dam.	E 272	NA	NA
Turtle, flattening musk	<i>Psammobates geometricus</i>	South Africa	Entire	E 15	NA	NA
Turtle, geometric	<i>Trachemys stejnegeri malonei</i>	West Indies—Bahamas (Great Inagua Island).	do	E 443	NA	NA
Turtle, Inagua Island	<i>Kachuga tecta tecta</i>	India	do	E 15	NA	NA
Turtle, Indian sawback	<i>Trionyx gangeticus</i>	Pakistan, India	do	E 15	NA	NA
Turtle, Indian softshell	<i>Trionyx surum</i>	India, Bangladesh	do	E 15	NA	NA
Turtle, peacock softshell	<i>Pseudemys rubriventris bangsi</i>	U.S.A. (MA)	do	E 90	17.95(c)	NA
Turtle, Plymouth redbelly	<i>Graptemys oculifera</i>	U.S.A. (LA, MS)	do	E 250	NA	NA
Turtle, ringed map	<i>Pseudemys durya umbribra</i>	Australia	do	E 3	NA	NA
Turtle, short-necked or western swamp.	<i>Trachemys scripta californica</i>	Colombia, Venezuela	do	E 443	NA	NA
Turtle, South American red-lined	<i>Geoclemys hamiltonii</i>	North India, Pakistan	do	E 15	NA	NA
Turtle, spotted pond	<i>Melanochelys tricarinata</i>	Central India to Bangladesh and Burma.	do	E 15	NA	NA
Turtle, three-keeled Asian	<i>Graptemys flavimaculata</i>	U.S.A. (MS)	do	E 416	NA	NA
Turtle, yellow-blotched map	<i>Vipera latifi</i>	Iran	do	E 129	NA	NA
Viper, Lar Valley	<i>Masticophis lateralis euryxanthus</i> .	U.S.A. (CA)	do	E 628	17.95(c)	NA
Whipsnake, Alameda (=striped racer),	<i>Amphibians</i>	U.S.A. (PR)	do	T T	29	17.95(d)
Coqui, golden		U.S.A. (CA), Mexico	do	T T	583	17.95(d)
Frog, California red-legged		U.S.A. (AZ, NM), Mexico	do	T T	726	NA
Frog, Chiricahua leopard		Cameroon, Equatorial Guinea, Gabon.	do	T	566	§ 17.43(b)
Frog, Goliath		Israel	do	E 3	NA	NA
Frog, Israel painted		Wherever found west of Mobile and Tombigbee Rivers in AL, MS, and LA.	do	E 718	NA	NA
Frog, Mississippi gopher		U.S.A. (AL, FL, LA, MS)	do	E 728	17.95(d)	NA
Frog, mountain yellow-legged (southern California DPs).		U.S.A. (California, Nevada)	Entire	E 15	NA	NA
Frog, Panamanian golden		Panama	do			

§ 17.11

50 CFR Ch. I (10-1-10 Edition)

Species	Common name	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Frog, Stephen Island	<i>Leiopelma hamiltoni</i>	<i>Leiopelma hamiltoni</i>	New Zealand	do	E	3	NA	NA
Guajon	<i>Eleutherodactylus coqui</i>	<i>Eleutherodactylus coqui</i>	U.S.A. (PR)	do	T	617	17.95(d)	NA
Salamander, Barton Springs	<i>Eurycea sosorum</i>	<i>Eurycea sosorum</i>	U.S.A. (TX)	do	E	612	NA	NA
Salamander, California tiger	<i>Ambystoma californiense</i>	<i>Ambystoma californiense</i>	U.S.A. (CA)	do	T	667E,	17.95(d)	17.43(c)
Salamander, Cheat Mountain	<i>Plethodon nettingi</i>	<i>Plethodon nettingi</i>	U.S.A. (WV)	Entire	T	702, 744	NA	NA
Salamander, Chinese giant	<i>Andrias davidianus</i>	<i>Andrias davidianus</i>	Western China	do	E	15	NA	NA
Salamander, desert slender	<i>Batrachoseps aridus</i>	<i>Batrachoseps aridus</i>	U.S.A. (CA)	do	E	6	NA	NA
Salamander, frosty flatwoods	<i>Ambystoma cingulatum</i>	<i>Ambystoma cingulatum</i>	U.S.A. (FL, GA, SC)	do	T	658	17.95(d)	NA
Salamander, Japanese giant	<i>Andrias japonicus</i> (= <i>devidianus</i> j.)	<i>Andrias japonicus</i> (= <i>devidianus</i> j.)	Japan	do	E	15	NA	NA
Salamander, Red Hills	<i>Phaeognathus hubrichti</i>	<i>Phaeognathus hubrichti</i>	U.S.A. (AL)	do	T	19	NA	NA
Salamander, relictuated flatwoods	<i>Ambystoma bishopi</i>	<i>Ambystoma bishopi</i>	U.S.A. (FL, GA)	do	E	17.95(d)	NA	NA
Salamander, San Marcos	<i>Eurycea nana</i>	<i>Eurycea nana</i>	U.S.A. (TX)	do	T	98	17.95(d)	17.43(a)
Salamander, Santa Cruz long-toed	<i>Ambystoma macrodactylum gracileum</i>	<i>Ambystoma macrodactylum gracileum</i>	U.S.A. (CA)	do	E	1	NA	NA
Salamander, Shenandoah	<i>Plethodon shenandoah</i>	<i>Plethodon shenandoah</i>	U.S.A. (VA)	do	E	358	NA	NA
Salamander, Sonoran tiger	<i>Ambystoma ligatum sieboldi</i>	<i>Ambystoma ligatum sieboldi</i>	U.S.A. (AZ), Mexico	do	E	600	NA	NA
Salamander, Texas blind (arroyo southwestern)	<i>Typhlops vermicularis</i>	<i>Typhlops vermicularis</i>	U.S.A. (TX)	do	E	1	NA	NA
Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus</i>	<i>Bufo californicus</i>	U.S.A. (CA), Mexico	do	E	568	17.95(d)	NA
Toad, Cameroon	<i>Bufo superciliaris</i>	<i>Bufo superciliaris</i>	Equatorial Africa	do	E	15	NA	NA
Toad, Houston	<i>Bufo houstonensis</i>	<i>Bufo houstonensis</i>	U.S.A. (TX)	do	E	2	17.95(d)	NA
Toad, Monte Verde golden	<i>Bufo periglenes</i>	<i>Bufo periglenes</i>	Costa Rica	do	E	15	NA	NA
Toad, Puerto Rican crested	<i>Petropedetes lemur</i>	<i>Petropedetes lemur</i>	U.S.A. (PR), British Virgin Islands	do	T	283	NA	NA
Toad, Wyoming	<i>Bufo hemiophrys baxteri</i>	<i>Bufo hemiophrys baxteri</i>	U.S.A. (WY)	do	E	138	NA	NA
Toads, African viviparous	<i>Nectophrynoides</i> spp.	<i>Nectophrynoides</i> spp.	Tanzania, Guinea, Ivory Coast, Cameroon, Liberia, Ethiopia	do	E	15	NA	NA
FISHES								
Ala Balik (trout)	<i>Salmo platycephalus</i>	<i>Salmo platycephalus</i>	Turkey	do	E	3	NA	NA
Aymodoki (læach)	<i>Hymenophysa curta</i>	<i>Hymenophysa curta</i>	Japan	do	E	3	NA	NA
Blindcat, Mexican (catfish)	<i>Priacanthus punctatus</i>	<i>Priacanthus punctatus</i>	Mexico	do	E	3	NA	NA
Bonytongue, Asian	<i>Scleropages formosus</i>	<i>Scleropages formosus</i>	Thailand, Indonesia, Malaysia	do	E	15	NA	NA
Catfish	<i>Pangasius sanitwongsei</i>	<i>Pangasius sanitwongsei</i>	Thailand	do	E	3	NA	NA
Catfish, Thailand giant	<i>Pangasianodon gigas</i>	<i>Pangasianodon gigas</i>	Thailand	do	E	3	NA	NA
Catfish, Yaqui	<i>Ictalurus punctatus</i>	<i>Ictalurus punctatus</i>	U.S.A. (AZ), Mexico	do	T	157	17.95(e)	17.44(h)
Cavefish, Alabama	<i>Speleopiarthrus poulosi</i>	<i>Speleopiarthrus poulosi</i>	U.S.A. (AL)	do	E	28, 328	17.95(e)	NA
Cavefish, Ozark	<i>Amblyopsis rosae</i>	<i>Amblyopsis rosae</i>	U.S.A. (AR, MO, OK)	do	T	164	NA	NA
Chub, bonytail	<i>Gila elegans</i>	<i>Gila elegans</i>	U.S.A. (AZ, CA, CO, NV, UT, WY)	do	E	92	17.95(e)	NA
Chub, Borax Lake	<i>Gila boraxobius</i>	<i>Gila boraxobius</i>	U.S.A. (OR)	do	E	94E, 124	17.95(e)	NA

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Chub, Chihuahua	<i>Gila nigrescens</i>	U.S.A. (NM), Mexico (Chihuahua).	do	do	NA	17.44(g)
Chub, Gila	<i>Gila intermedia</i>	U.S.A. (AZ, NM), Mexico.	do	do	E 755	17.95(e) NA
Chub, humpback	<i>Gila cyprinoides</i>	U.S.A. (AZ, CO, UT, WY)	do	do	E 1	17.95(e) NA
Chub, Sutton tui	<i>Gila bicolor</i> ssp.	U.S.A. (OR)	do	do	T 174	17.44(i) NA
Chub, Mohave tui	<i>Gila bicolor mojavensis</i>	U.S.A. (CA)	do	do	E 2	NA NA
Chub, Oregon	<i>Oreoglanis tigris crameri</i>	U.S.A. (OR)	do	do	T 520,769	17.95(e) NA
Chub, Owens tui	<i>Gila bicolor Snyderi</i>	U.S.A. (CA)	do	do	E 195	17.95(e) NA
Chub, Pahranagat roundtail	<i>Gila robusta jordani</i>	U.S.A. (NV)	do	do	E 2	NA NA
Chub, slender	<i>Erimyzon carni</i>	U.S.A. (TN, VA)	do	do	T 28	17.95(e) 17.44(c)
Do	XN	NA 17.84(sr)
Chub, Sonora	<i>Gila dittaeia</i>	U.S.A. (AZ), Mexico	do	do	T 227	17.95(e) 17.44(o)
Chub, spottin (=turquoise shiner)	<i>Erimyzon monachus</i>	U.S.A. (AL, GA, NC, TN, VA)	do	do	T 28	17.95(e) 17.44(c)
Do	XN	NA 17.84(m)
Do	XN	NA 17.84(m)
Do	XN	NA 17.84(m)
Chub, Virgin River	<i>Gila robusta seminudata</i>	U.S.A. (AZ, NV, UT)	do	do	E 361	17.95(e) NA
Chub, Yaqui	<i>Gila purpurea</i>	U.S.A. (AZ), Mexico	do	do	E 157	17.95(e) NA
Cicek (minnow)	<i>Acanthorhynchus handtuli</i>	Turkey	do	do	E 3	NA NA
Cur-tui	<i>Chasmistes curuis</i>	U.S.A. (NV)	do	do	E 1	NA NA
Dace, Ash Meadows speckled	<i>Rhinichthys osculus nevadensis</i>	E 117E, 127E,	17.95(e) NA
Dace, blackside	<i>Phoxinus cumberlandensis</i>	U.S.A. (KY, TN)	do	do	T 130	NA NA
Dace, Clover Valley speckled	<i>Rhinichthys osculus oligolepis</i>	U.S.A. (NV)	do	do	E 370	NA NA
Dace, desert	<i>Eremichthys acros</i>	T 1,2D, 210	17.95(e) 17.44(m)
Dace, Foskett speckled	<i>Rhinichthys osculus leptoporus</i>	U.S.A. (OR)	do	do	T 174	NA NA
Dace, Independence Valley speckled.	<i>Rhinichthys osculus thermalis</i>	U.S.A. (NV)	do	do	E 370, 372	17.44(i) NA
Dace, Kendall Warm Springs	<i>Moapa conicaea</i>	U.S.A. (NV)	do	do	E 2	NA NA
Dace, Moapa	<i>Perca antennella</i>	U.S.A. (AL, GA, TN)	do	do	E 1	NA NA
Darter, amber	<i>Etheostoma rubrum</i>	U.S.A. (MS)	do	do	E 196	17.95(e) NA
Darter, bayou	<i>Etheostoma sp.</i>	U.S.A. (TN)	do	do	T 10	17.44(b) NA
Darter, bluenose	<i>Etheostoma wapiti</i>	U.S.A. (AL, TN)	do	do	E 525	NA NA
Darter, boulder	E 322	NA NA

Experimental population.

§ 17.11

50 CFR Ch. I (10-1-10 Edition)

Species	Common name	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Dodododo	Shoal Creek (from Shoal Creek mile 41.7 (66.7 km)) at the mouth of Long Branch, Lawrence County, TN, downstream to the backwaters of Wilson Reservoir (Shoal Creek mile 14 (22 km)) at Goose Shoals, Lauderdale County, AL, including the lower 5 miles (8 km) of all tributaries that enter this reach.	XN	747	NA	17.84(o)
Darter, Cherokee Darter, duskytail	<i>Etheostoma scotti</i>	U.S.A. (GA)	U.S.A. (TN, VA)	Entire	T	569	NA	NA
Do	<i>Etheostoma percnurum</i>dodo	Entire, except where listed as an experimental population.	E	502	NA	NA
Dodododo	U.S.A. (TN—specified portions of the Tellico River; see 17.84(p)(1)(i)).	XN	732	NA	17.84(q)
Darter, Etowah Darter, fountain	<i>Etheostoma etowahae</i>	U.S.A. (GA)	U.S.A. (TX)	U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see 17.84(q)(1)(ii)).	NA	17.84(q)
Darter, goldline	<i>Etheostoma fonticola</i>	U.S.A. (AL, GA, TN)do	Entire	E	569	NA	NA
Darter, leopard	<i>Percina pantherina</i>	U.S.A. (AR, OK)dodo	E	462	17.95(e)	NA
Darter, Maryland	<i>Etheostoma sellare</i>	U.S.A. (MD)dodo	T	31	17.95(e)	17.44(d)
Darter, Niangua	<i>Etheostoma nianguae</i>	U.S.A. (MO)dodo	E	1	17.95(e)	NA
Darter, Okatosa	<i>Etheostoma okatoseae</i>	U.S.A. (FL)dodo	T	185	17.95(e)	17.44(k)
Darter, relict	<i>Etheostoma chienense</i>	U.S.A. (KY)dodo	E	6	NA	NA
Darter, stickwater	<i>Etheostoma boschungi</i>	U.S.A. (AL, TN)dodo	E	525	NA	NA
Darter, small	<i>Percina tanasi</i>	U.S.A. (AL, GA, TN)dodo	T	28	17.95(e)	17.44(c)
Darter, vermilion	<i>Etheostoma chemocki</i>	U.S.A. (AL)dodo	E	12, 150	NA	NA
Darter, watercross	<i>Etheostoma nuchale</i>dododo	E	715	NA	NA
Gambusia, Big Bend	<i>Gambusia gaigei</i>	U.S.A. (TX)dodo	E	2	NA	NA
Gambusia, Clear Creek	<i>Gambusia heterochir</i>dododo	E	1	NA	NA
Gambusia, Pacos	<i>Gambusia nobilis</i>	U.S.A. (NM, TX)dodo	E	1	NA	NA
Gambusia, San Marcos	<i>Gambusia georgii</i>	U.S.A. (TX)dodo	E	2	NA	NA
Goby, tidewater	<i>Eucyclogobius newberryi</i>	U.S.A. (CA)dodo	E	98	17.95(e)	NA
Logperch, Conasauga	<i>Percina lenkksi</i>	U.S.A. (GA, TN)dodo	E	527	17.95(e)	NA
Logperch, Roanoke	<i>Percina rex</i>	U.S.A. (VA)dodo	E	196	17.95(e)	NA
Madtom, Neosho	<i>Natulus plecidus</i>	U.S.A. (KS, MO, OK)dodo	T	359	NA	NA
Madtom, Neosho, pygmy	<i>Natulus stansdifi</i>	U.S.A. (TN)dodo	T	388	NA	NA
Dodododo	Entire, except where listed as an experimental population.	E	502	NA	17.84(t)
Madtom, Scioto Madtom, smoky	<i>Noturus traumani</i>	U.S.A. (OH)do	U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see 17.84(t)(1)(i)).	XN	NA	17.95(e)
Do	<i>Noturus baileyi</i>	U.S.A. (TN)do	Entire, except where listed as an experimental population.	E	10	NA	NA
Dododododo	E	163	17.95(e)	NA

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Dododo	U.S.A. (TN)—specified portions of the Tellico River; see 17.84(e)(1)(ii)). Entire, except where listed as an experimental population.	XN	732	NA	17.84(r)
Madtom, yellowfin	<i>Noturus flavipinnis</i>dodo	T	28	17.95(e)	17.44(c)
Dodododo	XN	317	NA	17.84(e)
Dodododo	XN	732	NA	17.84(e)
Dodododo	XN	NA	17.84(e)
Minnow, Davis River	<i>Dionda diabolii</i>	U.S.A. (TX), Mexico	U.S.A. (AZ, NM), Mexico	T	669	17.95(e)	NA
Minnow, loach	<i>Rhinichthys cobitis</i>	U.S.A. (NM, TX), Mexicodo	E	247	17.95(e)	17.44(g)
Minnow, Rio Grande silvery	<i>Hygophathus amarus</i>dodo	XN	543	NA	NA
Dodododo	XN	761	NA	17.84(u)
Nekogî (catfish)	<i>Coreodagrus ichikawai</i>	Japandodo	E	3	NA
Pikeminnow (=quawfish), Colorado	<i>Ptychocheilus lucius</i>	U.S.A. (AZ, CA, CO, NM, NV, UT, WY), Mexico.do	E	1,193	17.95(e)	NA
Dodododo	XN	193	NA	NA
Poofish, Partrump	<i>Emperichthys latos</i>	U.S.A. (NV)do	E	1	17.84(b)	NA
Pupfish, Ash Meadows Amargosa.	<i>Cyprinodon nevadensis monopterus</i>dodo	E	117E, 12E, 130	17.95(e)	NA
Pupfish, Comanche Springs	<i>Cyprinodon elegans</i>	U.S.A. (TX) Mexicodo	E	1	NA	NA
Pupfish, desert	<i>Cyprinodon macularius</i>	U.S.A. (AZ, CA) Mexicodo	E	222	17.95(e)	NA
Pupfish, Devil's Hole	<i>Cyprinodon diaurus</i>	U.S.A. (NV)do	E	1	NA	NA
Pupfish, Leon Springs	<i>Cyprinodon bovinus</i>	U.S.A. (TX)do	E	102	17.95(e)	NA
Pupfish, Owens	<i>Cyprinodon radiosus</i>	U.S.A. (CA)do	E	1	NA	NA
Pupfish, Warm Springs	<i>Cyprinodon nevadensis pectoralis</i> .	U.S.A. (NV)do	E	2	NA	NA

§ 17.11

50 CFR Ch. I (10-1-10 Edition)

Species	Common name	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Salmon, Atlantic, Gulf of Maine ..	Salmo salar	U.S.A., Canada, Greenland, western Europe.	U.S.A., ME, Gulf of Maine Distinct Population Segment. The GOM DPS includes all anadromous Atlantic salmon whose freshwater range occurs in the watersheds from the Androscoggin River northward along the Maine coast to the Dennys River, and wherever these fish occur in the estuarine and marine environment. The following impassable falls delimit the upstream extent of the freshwater range: Rumford Falls in the town of Rumford on the Androscoggin River; Show Falls in the town of West Paris on the Little Androscoggin River; Grand Falls in Township 3 Range 4 BKP WKR, on the Dead River in the Kennebec Basin; the un-named falls (impounded by Indian Pond Dam) immediately above the Kennebec River Gorge in the town of Indian Stream Township on the Kennebec River; Big Niagara Falls on Nesowadnehunk Stream in Township 3 Range 10 WELS in the Penobscot Basin; Grand Pitch on Webster Brook in Trout Brook Township in the Penobscot Basin; and Grand Falls on the Passadumkeag River in Grand Falls Township in the Penobscot Basin. The marine range of the GOM DPS extends from the Gulf of Maine, throughout the Northwest Atlantic Ocean, to the coast of Greenland. Included are all associated conservation hatchery populations used to supplement these natural populations; currently, such conservation hatchery populations are maintained at Green Lake National Fish Hatchery (GLNHF) and Crag Brook National Fish Hatchery (CBNHF). Excluded are landlocked salmon and those salmon raised in commercial hatcheries for aquaculture.	U.S.A., ME, Gulf of Maine Distinct Population Segment. The GOM DPS includes all anadromous Atlantic salmon whose freshwater range occurs in the watersheds from the Androscoggin River northward along the Maine coast to the Dennys River, and wherever these fish occur in the estuarine and marine environment. The following impassable falls delimit the upstream extent of the freshwater range: Rumford Falls in the town of Rumford on the Androscoggin River; Show Falls in the town of West Paris on the Little Androscoggin River; Grand Falls in Township 3 Range 4 BKP WKR, on the Dead River in the Kennebec Basin; the un-named falls (impounded by Indian Pond Dam) immediately above the Kennebec River Gorge in the town of Indian Stream Township on the Kennebec River; Big Niagara Falls on Nesowadnehunk Stream in Township 3 Range 10 WELS in the Penobscot Basin; Grand Pitch on Webster Brook in Trout Brook Township in the Penobscot Basin; and Grand Falls on the Passadumkeag River in Grand Falls Township in the Penobscot Basin. The marine range of the GOM DPS extends from the Gulf of Maine, throughout the Northwest Atlantic Ocean, to the coast of Greenland. Included are all associated conservation hatchery populations used to supplement these natural populations; currently, such conservation hatchery populations are maintained at Green Lake National Fish Hatchery (GLNHF) and Crag Brook National Fish Hatchery (CBNHF). Excluded are landlocked salmon and those salmon raised in commercial hatcheries for aquaculture.	E		NA	NA

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha.</i>	North America from Ventura R. in California to Point Hope, Alaska, and the Mackenzie R. area in Canada; Northeast Asia from Hokkaido, Japan, to the Anadyr R., Russia.do	Sacramento R. (U.S.A.-CA) winter run, wherever found.	E 383E, 407, 534	226.204	NA
Dodo	Snake R. (U.S.A.-ID, OR, WA) mainstem and the following sub-basins—Tucannon R., Grande Ronde R., Imnaha R., Salmon R., and Clearwater R.; fall run, natural populations(s), wherever found.	T 516, 557E	226.205	NA
Dodo	Snake R. (U.S.A.-ID, OR, WA) mainstem and the following sub-basins—Tucannon R., Grande Ronde R., Imnaha R., and Salmon R.; spring/summer run, natural populations(s), wherever found.	T 516, 557E	226.205	NA
Dodo	U.S.A.(OR, WA) all naturally spawned populations from the Columbia R. and its tributaries upstream from its mouth to a point east of the Hood R., and White Salmon R. to Willamette Falls in Oregon, excluding the spring run in the Clackamas R..do	T 664	226.212	223.203
Dodo	U.S.A.(WA) all naturally spawned populations in the Columbia R. tributaries upstream of Rock Island Dam and downstream of Chief Joseph Dam, excluding the Okanogan R., and the Columbia R. from a line between the west end of Clatsop jetty, OR, and the west end of Peacock jetty, WA, upstream to Chief Joseph Dam, including spring-run hatchery stocks (and their progeny) in Chitawau R., Methow R., Twisp R., Chewachuk R., White R., and Nasen Creek.	T 664	226.212	NA
Dododo	T 674	226.212	NA
Dodo	U.S.A.(CA) from Redwood Creek south to Russian R., inclusive, all naturally spawned populations in mainstems and tributaries.	T 674	226.212	NA
Dodo	U.S.A.(CA) all naturally spawned spring-run populations from the Sacramento, San Joaquin R. mainstem and its tributaries.	T 674	226.212	NA

§ 17.11

50 CFR Ch. I (10-1-10 Edition)

Species	Common name	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Dodododo	U.S.A.(OR) all naturally spawned populations in the Clackamas R. and the Willamette R. and its tributaries above Willamette Falls.	T	664	226.212	223.203
Dodododo	U.S.A.(WA) all naturally spawned populations from rivers and streams flowing into Puget Sound, including the Straits of Juan De Fuca from the Elwha R. eastward, and Hood Canal, South Sound, North Sound and the Strait of Georgia.	T	664	226.212	223.203
Salmon, chum	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>keta</i>do	North Pacific Rim from Korea and the Japanese Island of Honshu east to Monterey Bay California; Arctic Ocean from the Laptev Sea in Russia to Mackenzie R. in Canada.	U.S.A. (OR, WA) all naturally spawned populations in the Columbia R. and its tributaries.	T	664	226.212	223.203
Dodododo	U.S.A. (WA) all naturally spawned summer-run populations in Hood Canal and its tributaries and Olympic Peninsula rivers between Hood Canal and Dungeness Bay.	T	664	226.212	223.203
Salmon, coho	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>kisutch</i>do	North Pacific Basin from U.S.A. (CA to AK) to Russia and Japan.	U.S.A. (CA) naturally spawning populations in streams between Punta Gorda, Humboldt Co., CA and the San Lorenzo River, Santa Cruz, CA.	T	598	NA	NA
Dodododo	U.S.A. (natural populations in river basins between Cape Blanco in Curry County, OR and Punta Gorda in Humboldt Co., CA).	T	618	226.212	NA
Salmon, sockeye	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>nerka</i>do	North Pacific Basin from U.S.A. (CA) to Russia.	U.S.A. (Snake River, ID stock wherever found).	E	455	226.205	NA
Dodododo	U.S.A. (WA) all naturally spawned populations in Oelite Lake and its tributary streams.	T	664	226.212	223.203
Sawfish, smalltooth	<i>Pristis pectinata</i>do	North Atlantic (Mediterranean, U.S. Atlantic and Gulf of Mexico) and the Southwest Atlantic.	U.S.A. (Gulf of Mexico from Texas to Florida and along the east coast from Florida to Cape Hatteras).	E	748	NA	NA
Sculpin, pygmy Shiner, Arkansas River	<i>Cottus pygmaeus</i>	<i>Notropis girardi</i>	U.S.A. (AL)	Entire	T	365	NA	17.44(u)
Shiner, beautiful Shiner, blue	<i>Cyprinella formosa</i>	<i>Cyprinella caerulea</i>	U.S.A. (AZ, NM), Mexico	Arkansas River Basin (AR, KS, NM, OK, TX)	T	653	17.95(e)	NA
			U.S.A. (AL, GA, TN)	Entire	T	157	17.95(e)	17.44(h)
			do	T	462	NA	NA

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Shiner, Cahaba	U.S.A. (AL)dododo	E 405	NA
Shiner, Cape Fear	U.S.A. (NC)dododo	E 290	17.95(e) NA
Shiner, palaezone	U.S.A. (AL, KY, TN)dododo	E 502	NA
Shiner, Pecos bluntnose	U.S.A. (NM)dododo	T 258	17.95(e) 17.44(r)
Shiner, Topka	U.S.A. (IA, KS, MN, MO, NE, SD)dododo	E 654	17.95(e) NA
Silverside, Waccamaw	U.S.A. (NC)dododo	T 265	17.95(e) 17.44(s)
Smelt, delta	U.S.A. (CA)dododo	T 492	17.95(e) NA
Spikedace	U.S.A. (AZ, NM), Mexicodododo	T 236	17.95(e) 17.44(p)
Spinedace, Big Spring	U.S.A. (NV)dododo	T 173	17.95(e) 17.44(i)
Spinedace, Little Colorado	U.S.A. (AZ)dododo	T 1, 2D 287	17.95(e) 17.44(t)
Spinedace, White River	U.S.A. (NV)dododo	E 203	NA
Springfish, Hiko White Riverdodododo	E 206	17.95(e) NA
Springfish, Railroad Valleydodododo	T 224	17.95(e) 17.44(n)
Springfish, White Riverdododo	All naturally spawned populations (and their progeny) in rivers from the Kamchatka Peninsula in Asia to the northern Baja Peninsula.	E 206	17.95(e) NA
Steelheaddododo	All naturally spawned populations (and their progeny) in rivers from the Santa Maria R., San Luis Obispo County, CA (inclusive) to Malibu Cr., Los Angeles County, CA (inclusive). All naturally spawned populations (and their progeny) in the Upper Columbia R. Basin upstream from the Yakima R., WA, to the U.S./Canada border, and also including the Wells Hatchery stock.	E 638	226,212 NA
Dodododo	All naturally spawned populations (and their progeny) in streams from the Russian R., to Aplos Cr., Santa Cruz County, CA (inclusive), and the drainages of San Francisco and San Pablo Bays eastward to the Napa R. (inclusive), Napa County, CA, excluding the Sacramento-San Joaquin R. Basin of the Central Valley of CA.	T 638	226,212 223,203
Dodododo	All naturally spawned populations (and their progeny) in streams from the Pajaro R. (inclusive) located in Santa Cruz County, CA, to (but not including) the Santa Maria R.	T 638	226,212 223,203
Dodododo	All naturally spawned populations (and their progeny) in streams in the Snake R. Basin of southeast WA, northeast OR, and ID.	T 638	226,212 223,203

§ 17.11

50 CFR Ch. I (10-1-10 Edition)

Species	Common name	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Dodododo	All naturally spawned populations (and their progeny) in streams and tributaries to the Columbia R., between the Cowlitz and Wind Rivers, WA, inclusive, and the Willamette and Hood Rivers, OR, inclusive, excluding the Upper Willamette River Basin above Willamette Falls, and excluding the Little and Big White Salmon Rivers in WA.	T	638	226.212	223.203
Dodododo	All naturally spawned populations (and their progeny) in the Sacramento and San Joaquin Rivers and their tributaries, excluding San Francisco and San Pablo Bays and their tributaries, U.S.A. (OR, WA) All naturally spawned populations in streams above and excluding the Wind R. in Washington, and the Hood R. in Oregon, upstream to, and including, the Yakima R. Excluded are steelhead from the Snake R. Basin.	T	638	226.212	223.203
Dodododo	U.S.A. (OR) All naturally spawned winter-run populations in the Willamette R. and its tributaries from Willamette Falls to the Calapooia R., inclusive. All naturally spawned populations (and their progeny) in river basins from Redwood Creek in Humboldt County, CA, to the Gualala River, in Mendocino County, CA (inclusive).	T	664	226.212	223.203
Dodododo	Entire	E	701	NA	NA
Stickleback, unarmored threespine. Sturgeon, Alabama	<i>Gasterosteus aculeatus williamsi</i> <i>Scaphirhynchus suttkusi</i> <i>Huso huso</i>	U.S.A. (AL, MS) Azerbaijan, Bosnia and Herzegovina, Bulgaria, Croatia, Czech Republic, Georgia, Hungary, Islamic Republic of Iran, Italy, Kazakhstan, Republic of Moldova, Romania, Russian Federation, Serbia and Montenegro, Turkey, Turkmenistan, Ukraine, U.S.A. (AL, FL, GA, LA, MS) ...	U.S.A. (CA) Entire	Entire	E	697 743	17.95(e) NA	NA 17.44(y)
Sturgeon, belugadodododo	T	444	17.95(e), 226.214	17.44(v)

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Sturgeon, North America green ..	<i>Acipenser medirostris</i>	U.S.A. (CA)	U.S.A. (CA) Southern Distinct Population Segment, which includes all spawning populations south of the Eel River (exclusive), principally including the Sacramento River spawning population.	T	756	NA	NA
Sturgeon, pallid	<i>Scaphirhynchus albus</i>	U.S.A. (AR, IA, IL, KS, KY, LA, MO, MS, MT, ND, NE, SD, TN).	Entire	E	399	NA	NA
Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	U.S.A. and Canada (Atlantic Coast), U.S.A. (AL, AR, IA, IL, IN, KS, KY, LA, MN, MO, MS, MT, ND, NE, NM, OH, OK, PA, SD, TN, TX, WI, WV, WY).	do	E	1	NA	NA
Sturgeon, shovelnose	<i>Scaphirhynchus platorynchus</i>	U.S.A. (AK, CA, ID, MT, OR, WA) Canada (BC).	do	T (SA)	778	NA	17.44(aa)
Sturgeon, white	<i>Acipenser transmontanus</i>	U.S.A. (ID, MT) Canada (BC), (Kootenai R. system).	Entire	E	549	17.95(e)	NA
Sucker, June	<i>Chasmistes liorus</i>	U.S.A. (UT)	do	E	223	17.95(e)	NA
Sucker, Lost River	<i>Deltistes luxatus</i>	U.S.A. (CA)	do	E	313	NA	NA
Sucker, Modoc	<i>Catostomus micros</i>	U.S.A. (AZ, CA, CO, NM, NV, UT, WY) Mexico.	do	E	184	17.95(e)	NA
Sucker, razorback	<i>Xyrauchen texanus</i>	U.S.A. (CA)	do	E	447	17.95(e)	NA
Sucker, Santa Ana	(<i>Catostomus sanctaanae</i>)	Los Angeles River basin, San Gabriel River basin, Santa Ana River basin.	Entire	T	694	17.95(e)	NA
Sucker, shortnose	<i>Chasmistes brevirostris</i>	U.S.A. (CA, OR)	Entire	E	313	NA	NA
Sucker, Warner	<i>Catostomus warnerensis</i>	U.S.A. (OR)	do	T	205	17.95(e)	17.44(i)
Tango, Miyako (Tokyo bitterling)	<i>Tarakia tarago</i>	Japan	do	E	3	NA	NA
Temoleh, Ikan (minnow)	<i>Probarbus julieni</i>	Thailand, Cambodia, Vietnam,	do	E	15	NA	NA
Tominow, Gila (incl. Yaqui)	<i>Poeciliopsis occidentalis</i>	Malaysia, Laos.	U.S.A. only	E	1	NA	NA
Totoaba, Sea (sea trout or weakfish)	<i>Cynoscion macdonaldi</i>	U.S.A. (AZ, NM) Mexico (Gulf of California)	Entire	E	48	NA	NA
Trot, Apache	<i>Oncorhynchus apache</i>	U.S.A. (AK)	do	T	1.8	NA	17.44(a)
Trot, bull	<i>Salvelinus confluentus</i>	U.S.A. (AK, Pacific NW into CA, ID, NV, MT), Canada (NW Territories).	U.S.A. coterminous (lower 48 states)	T	637,	17.95(e)	17.44(w), 17.44(x)
Trout, Gila	<i>Oncorhynchus gilae</i>	U.S.A. (AZ, NM)	Entire	T	659, 670	NA	17.44(z)
Trout, greenback cutthroat	<i>Oncorhynchus clarki stomias</i>	U.S.A. (CO)	do	T	1,757	NA	17.44(f)
Trout, Lahontan cutthroat	<i>Oncorhynchus clarki henryi</i>	U.S.A. (CA, NV, OR, UT)	do	T	1,38	NA	17.44(i)
Trout, Little Kern golden	<i>Oncorhynchus aguabonita</i> white.	U.S.A. (CA)	do	T	2,8	NA	17.44(a)
Trout, Paiute cutthroat	<i>Oncorhynchus clarki seleniris</i>	do	do	T	37	17.95(e)	17.44(e)
Woundfin	<i>Plagiotremus argenteus</i>	U.S.A. (AZ, NV, UT)	Entire, except Gila R. drainage, AZ, NM	T	1.8	NA	17.44(a)
Do	<i>Clams</i>	do	Gila R. drainage, AZ, NM	E	2,193	17.95(e)	NA
Abalone, white	<i>Halitius sorenseni</i>	North America (West coast from Point Conception, CA, U.S.A., to Punta Abrejos, Baja California, Mexico).	NA	E	748	NA	NA
Acornshell, southern	<i>Epioblasma ottcaloogensis</i>	U.S.A. (AL, GA, TN)	NA	E	495	17.95(f)	NA
Bankclimber, purple (mussel)	<i>Elliptioideus sicanianus</i>	U.S.A. (AL, FL, GA)	NA	T	633	17.95(f)	NA

§ 17.11

50 CFR Ch. I (10-1-10 Edition)

Species	Common name	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Bean, Cumberland (pearlymussel).	<i>Villosa trabalis</i>	U.S.A. (AL, KY, TN, VA)	NA	U.S.A. (AL—specified portions of the Tennessee River; see 17.85(a)(1)). U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see 17.85(b)(1)).	XN	709	NA	17.85(a)
Dododododo	XN	NA	17.85(b)
Dododododo	NA
Bean, Purple	<i>Villosa purpurea</i>	U.S.A. (TN, VA)	NA	U.S.A. (AL—specified portions of the Tennessee River; see 17.85(a)(1)).	E	602	17.95(f)	NA
Blossom, green (pearlymussel) ..	<i>Epiblasma torulosa gubernaculum.</i>	U.S.A. (AL, IL, IN, KY, TN, WV).	NAdo	E	15	NA	NA
Blossom, tubercled (pearlymussel).	<i>Epiblasma torulosa torulosa</i>dododo	E	15	NA	NA
Dododododo	XN	709	NA	17.85(a)
Blossom, turgid (pearlymussel) ..	<i>Epiblasma turgida</i>	U.S.A. (AL, TN)	NA	U.S.A. (AL—specified portions of the Tennessee River; see 17.85(a)(1)).	E	15	NA	NA
Dododododo	XN	709	NA	17.85(a)
Blossom, yellow (pearlymussel)	<i>Epiblasma florentina florentina.</i>dododo	E	15	NA	NA
Dododododo	XN	709	NA	17.85(a)
Catspaw, (=purple cat's paw pearlymussel).	<i>Epiblasma</i>	U.S.A. (AL, IL, IN, KY, OH, TN).	NA	U.S.A. (AL—specified portions of the Tennessee River; see 17.85(a)(1)).	E	394	NA	NA
Clubshell	<i>Pleurobema obliquata perobliqua.</i>	U.S.A. (AL, IL, IN, KY, MI, OH, PA, TN, WV).	NAdo	XN	709	NA	17.85(a)
Dododododo	E	15	NA	NA
Catspaw, white (pearlymussel).	<i>Pleurobema clava</i>dododo	E	488	NA	NA
Clubshell	<i>Pleurobema curtum</i>	U.S.A. (AL, MS)	NA	U.S.A. (AL—specified portions of the Tennessee River; see 17.85(a)(1)).	XN	709	NA	17.85(a)
Clubshell, black	<i>Pleurobema perovatum</i>dododo	E	262	NA	NA
Clubshell, ovate	<i>Pleurobema decisum</i>dododo	E	495	17.95(f)	NA
Clubshell, southern	<i>Epiblasma brevidens</i>dododo	E	495	17.95(f)	NA
Combshell, Cumberlandiandodododo	E	602	17.95(f)	NA
Dododododo	XN	709	NA	17.85(a)
Clubshell, black	<i>Pleurobema curtum</i>dododo	E	262	NA	NA
Clubshell, ovate	<i>Pleurobema perovatum</i>dododo	E	495	17.95(f)	NA
Clubshell, southern	<i>Pleurobema decisum</i>dododo	E	495	17.95(f)	NA
Combshell, Cumberlandian	<i>Epiblasma brevidens</i>dododo	E	602	17.95(f)	NA
Dododododo	XN	NA	17.85(b)
Combshell, southern	<i>Epiblasma (=Dysnomia) penia.</i>	U.S.A. (AL, MS)	NA	U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see 17.85(b)(1)).	E	262	NA	NA
Combshell, upland	<i>Epiblasma metastriata</i>	U.S.A. (AL, GA, TN)	NAdo	E	495	17.95(f)	NA
Elktoe, Appalachian	<i>Alasmidonta raveneliana</i>	U.S.A. (NC, TN)	NAdo	E	563	17.95(f)	NA
Elktoe, Cumberland	<i>Alasmidonta atropurpurea</i>	U.S.A. (KY, TN)	NAdo	E	602	17.95(f)	NA

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Fanshell	<i>Cyprigenia stegaria</i> (=irrorata)	U.S.A. (AL, IL, IN, KY, OH, PA, TN, VA, WV)	NA	NA	NA
Dododo	U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see 17.85(b)(1)).	NA	17.85(b)
Fatmucket, Arkansas	<i>Lampsilis powelli</i>	U.S.A. (AR)	Entire	E	391
Heelsplitter, Alabama (=inflated)	<i>Potamilus inflatus</i>	U.S.A. (AL, LA, MS)do	T	382
Heelsplitter, Carolina	<i>Lasmigona decorata</i>	U.S.A. (NC, SC)do	T	404
Higgins eye (pearlymussel)	<i>Lampsilis nigrescens</i>	U.S.A. (IA, IL, MN, MO, NE, WI)do	E	505
Kidneyshell, triangular	<i>Ptychobranchus greenii</i>	U.S.A. (AL, GA, TN)	NA	E	15
Lampshell, Alabama	<i>Lampsilis virescens</i>	U.S.A. (AL, TN)do	E	495
Dododo	U.S.A. (AL—specified portions of the Tennessee River; see 17.85(a)(1)).	E	17.95(f)
Liliput, pale (pearlymussel)	<i>Toxolasma cylindrellus</i>do	Entire	E	15
Mapleleaf, winged (mussel)	<i>Quadrula fragosa</i>do	NA	E	426
Dododo	U.S.A. (AL—specified portions of the Tennessee River; see 17.85(a)(1)).	XN	709
Moccasinshell, Alabama	<i>Medionidus acutissimus</i>	U.S.A. (AL, GA, MS)	NA	T	495
Moccasinshell, Coosa	<i>Medionidus parvulus</i>	U.S.A. (AL, GA, TN)	NA	E	633
Moccasinshell, Gulf	<i>Medionidus penicillatus</i>	U.S.A. (AL, FL, GA)	NA	E	633
Moccasinshell, Ochlockonee	<i>Medionidus simpsonianus</i>	U.S.A. (FL, GA)	NA	E	17.95(f)
Monkeyface, Appalachian (pearlymussel). Do	<i>Quadrula sparsa</i>	U.S.A. (TN, VA)do	E	15
Monkeyface, Cumberland (pearlymussel).	<i>Quadrula intermedia</i>do	U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see 17.85(b)(1)).	XN	709
Dododo	NA	E	17.85(b)
Mucket, orange-lace	<i>Lampsilis perovialis</i>	U.S.A. (AL, MS)	NA	E	15
Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>	U.S.A. (AL, AR, IL, IN, KY, LA, MO, OH, PA, TN, VA, WV), U.S.A. (AL, GA, KY, MS, NC, TN, VA)	Entire	E	495
Mussel, oyster	<i>Epioblasma capsaiformis</i>do	NA	E	602
Dododo	U.S.A. (AL—specified portions of the Tennessee River; see 17.85(a)(1)).	XN	709
Mussel, scaleshell	<i>Leptodea leptodon</i>do	U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see 17.85(b)(1)).	E	714
Pearlshell, Louisiana	<i>Margaritifera hemphilli</i>do	NA	E	304, 518
Pearlshell, birdwing	<i>Lemiox rimosus</i>do	Entire	T	15
			U.S.A. (AL, TN, VA)	NA	NA

§ 17.11

50 CFR Ch. I (10-1-10 Edition)

Species	Common name	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Dodododo	U.S.A. (AL—specified portions of the Tennessee River; see 17.85(a)(1)). U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see 17.85(b)(1)).	XN XN	709	NA NA	17.85(a) 17.85(b)
Pearlymussel, cracking	<i>Hemisema lata</i>do	U.S.A. (AL, IL, IN, KY, OH, TN, VA).	U.S.A. (AL—specified portions of the Tennessee River; see 17.85(a)(1)). U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see 17.85(b)(1)).	E XN	366 709	NA NA	NA NA
Dodododo	U.S.A. (AL—specified portions of the Tennessee River; see 17.85(a)(1)). U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see 17.85(b)(1)).	E XN	17.85(a) 17.85(b)	NA NA	NA NA
Pearlymussel, Curtis	<i>Epioblasma florentina curtisi</i>do	U.S.A. (AR, MO)	Entire	E NA	15 NA	NA NA	NA NA
Pearlymussel, dromedary	<i>Dromus dromas</i>do	U.S.A. (AL, KY, TN, VA)	U.S.A. (AL—specified portions of the Tennessee River; see 17.85(a)(1)). U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see 17.85(b)(1)).	E XN	15 709	NA NA	17.85(a) 17.85(b)
Dodododo	Entire	E XN	17.85(a) 17.85(b)	NA NA	NA NA
Pearlymussel, little-wing	<i>Pegias fabula</i>do	U.S.A. (AL, KY, NC, TN, VA)	Entire	E E	342 15	NA NA	NA NA
Pearlymussel, Nicklin's	<i>Megalania nickliniana</i>do	Mexicodo	E E	15 15	NA NA	NA NA
Pearlymussel, Tampico	<i>Cytonaias tampicensis tecomanensis</i>dododo	E E	423 495	NA NA	NA NA
Pigtoe, Cumberland	<i>Pleurobema gibberum</i>do	U.S.A. (TN)	NA	E E	17.95(f) 17.95(f)	NA NA	NA NA
Pigtoe, dark	<i>Pleurobema furvum</i>do	U.S.A. (AL)	NA	E E	15 15	NA NA	NA NA
Pigtoe, fine-rayed	<i>Fusconaia cuneolus</i>do	U.S.A. (AL, TN, VA)	U.S.A. (AL—specified portions of the Tennessee River; see 17.85(a)(1)). U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see 17.85(b)(1)).	E XN	709	NA NA	17.85(a) 17.85(b)
Dodododo	Entire	E XN	NA NA	NA NA
Pigtoe, flat	<i>Pleurobema marshali</i>do	U.S.A. (AL, MS)	Entire	E E	262 262	NA NA	NA NA
Pigtoe, heavy	<i>Pleurobema taitianum</i>do	U.S.A. (AL, FL, GA)	NA	E E	633 15	17.95(f) 17.95(f)	NA NA
Pigtoe, oval	<i>Pleurobema pyriforme</i>do	U.S.A. (AL, IN, KY, PA, TN, VA).	NA	E XN	NA NA	17.85(b)
Pigtoe, rough	<i>Pleurobema plenum</i>dodo	U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see 17.85(b)(1)).	E XN	NA NA	NA NA
Dodododo	U.S.A. (AL—specified portions of the Tennessee River; see 17.85(b)(1)).	E XN	15 709	NA NA	NA NA
Pigtoe, shiny	<i>Fusconaia cor</i>do	U.S.A. (AL, TN, VA)	U.S.A. (AL—specified portions of the Tennessee River; see 17.85(a)(1)). U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see 17.85(b)(1)).	E XN	15	NA NA	NA NA
Dodododo	U.S.A. (AL—specified portions of the Tennessee River; see 17.85(a)(1)). U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see 17.85(b)(1)).	E XN	NA NA	17.85(b)
Pigtoe, southern	<i>Pleurobema georgianum</i>do	U.S.A. (AL, GA, TN)	U.S.A. (AL—specified portions of the Tennessee River; see 17.85(b)(1)).	E E	495	17.95(f)	NA

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Pimpleback, orangefoot (pearlymussel). Do	<i>Plethobasus cooperianus</i>do	U.S.A. (AL, IA, IL, IN, KY, OH, PA, TN).do	NA	U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see 17.85(b)(1)).	E	15	NA	NA	NA
Pocketbook, fat	<i>Potamilus capax</i>	U.S.A. (AR, IA, IL, IN, KY, MO, MS, OH).do	NA	U.S.A. (AR, IA, IL, IN, KY, MO, MS, OH).do	E	15	NA	NA	NA
Pocketbook, fine-lined Rock-pocketbook, Ouachita	<i>Lampsilis altilis</i>	U.S.A. (AL, GA).	NA	U.S.A. (AL, GA).	T	495	17.95(f)	NA	NA
Pocketbook, shirleyaved	<i>Arkansas wheeleri</i>	U.S.A. (AL, OK).	NA	U.S.A. (AL, FL, GA).	E	446	17.95(f)	NA	NA
Pocketbook, speckled	<i>Lampsilis subangulata</i>	U.S.A. (AR).	NA	U.S.A. (AR).	E	633	17.95(f)	NA	NA
Rabbitfoot, rough	<i>Lampsilis strackei</i>	U.S.A. (IL, IN, KY, MI, OH, PA, WV), Canada (Ont.).	NA	U.S.A. (IL, IN, KY, MI, OH, PA, WV), Canada (Ont.).	E	345	NA	NA	NA
Ruffleshell, northern	<i>Quadrula cylindrica signiflata</i>	U.S.A. (AL, KY, NC, TN, VA)do	U.S.A. (IL, IN, KY, MI, OH, PA, WV), Canada (Ont.).	E	602	17.95(f)	NA	NA
Ruffleshell, tan	<i>Epiblasma torulosa rangiana</i>do	U.S.A. (AL, KY, NC, TN, VA)	E	488	NA	NA	NA
Pink, ring (mussel)	<i>Epiblasma florentina walkeri</i> (=E. walkeri). <i>Obovaria retusa</i>	U.S.A. (AL, IL, IN, KY, OH, PA, TN, WV).do	NA	U.S.A. (AL, IL, IN, KY, OH, PA, TN, WV).do	E	27	NA	NA	NA
Dododo	U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see 17.85(b)(1)).	XN	369	NA	NA	NA
Slabshell, Chipola	<i>Elliptio chipolaensis</i>	U.S.A. (AL, FL).	NA	U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see 17.85(b)(1)).	T	633	17.95(f)	NA	NA
Spiny mussel, James	<i>Pleurobema collina</i>	U.S.A. (VA, WV).	NA	U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see 17.85(b)(1)).	E	316	NA	NA	NA
Spiny mussel, Tar River	<i>Elliptio steinmannae</i>	U.S.A. (NC).	NA	U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see 17.85(b)(1)).	E	188	NA	NA	NA
Stirrupshell	<i>Quadrula stapes</i>	U.S.A. (AL, MS).	NA	U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see 17.85(b)(1)).	E	262	NA	NA	NA
Threeridge, fat (mussel)	<i>Ambium neisieri</i>	U.S.A. (FL, GA).	NA	U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see 17.85(b)(1)).	E	633	17.95(f)	NA	NA
Wartyback, white (pearymussel) Do	<i>Plethobasus cincatus</i>	U.S.A. (AL, IL, IN, KY, TN).do	NA	U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see 17.85(b)(1)).	E	15	NA	NA	NA
Wedge mussel, dwarf	<i>Alasmidonta heterodon</i>	U.S.A. (CT, DC, DE, MA, MD, NC, NH, NJ, NY, PA, VA, VT), Canada (NB).do	U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see 17.85(b)(1)).	XN	17.85(b)	NA	NA
Ambersnail, Kanab	<i>Oxymeris haydeni kanebensis</i>	U.S.A. (AZ, UT).do	U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see 17.85(b)(1)).	E	377	NA	NA	NA
Campeloma, slender	<i>Campeloma decampi</i>	U.S.A. (AL).do	U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see 17.85(b)(1)).	E	431E, 459, 477	NA	NA	NA
Cavesnail, Tumbling Creek	<i>Antrona culveri</i>	U.S.A. (MO).	NA	U.S.A. (MO).	E	688	NA	NA	NA
Elmina, lacy (snail)	<i>Elmina crenatella</i>	U.S.A. (AL).	NA	U.S.A. (AL).	T	731	NA	NA	NA
Limpet, Barbury Springs	<i>Lanx sp.</i>	U.S.A. (ID).	NA	U.S.A. (ID).	E	651	NA	NA	NA
Lipolax, cylindrical (snail)	<i>Lipolax cyclostomiformis</i>	U.S.A. (AL, GA).	NA	U.S.A. (AL, GA).	E	485	NA	NA	NA
Marsione (snail), royal	<i>Pyrgulopsis cognophape</i>	U.S.A. (TN).do	U.S.A. (TN).	E	651	NA	NA	NA
Pebblesnail, fat	<i>Lepynum showalteri</i>	U.S.A. (NM, TX).do	U.S.A. (NM, TX).	E	538	NA	NA	NA
Pecos assiminea	<i>Assiminea pecos</i>	U.S.A. (AL, GA, TN).do	U.S.A. (AL, GA, TN).	E	17.95(f)	NA	NA	NA
Riversnail, Anthony's	<i>Atheania anthonyi</i>dodo	XN	709	NA	NA	NA
Dodododo	XN	17.85(b)	NA	NA

see 17.85(b)(1).

§ 17.11

50 CFR Ch. I (10–1–10 Edition)

Species	Common name	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Rocksnail, painted	<i>Lepotrix taeniata</i>	U.S.A. (AL)	Entire	T	651	NA	NA
Rocksnail, plicate	<i>Lepotrix plicata</i>do.....	do	E	651	NA	NA
Rocksnail, round	<i>Lepotrix ampla</i>do.....	do	T	651	NA	NA
Shagreen, Magazine Mountain	<i>Mesodon magazinensis</i>	U.S.A. (AR)	do	T	348	NA	NA
Snail, armored	<i>Pyrgulopsis (=Marsena) pachyla</i>	U.S.A. (AL)	do	E	688	NA	NA
Snail, Bliss Rapids	<i>Taylorconcha serpentiscola</i>	U.S.A. (ID)	do	T	485	NA	NA
Snail, Chittenerango ovate amber	<i>Succinea chittenangoensis</i>	U.S.A. (NY)	do	41	NA	NA	NA
Snail, flat-spined three-toothed	<i>Triodopsis platysayoides</i>	U.S.A. (WV)	do	41	NA	NA	NA
Snail, Iowa Pleistocene	<i>Discus macolinicki</i>	U.S.A. (IA, IL)	do	E	3	NA	NA
Snail, Manus Island tree	<i>Papuostyla pulcherrima</i>	Pacific Ocean—Admiralty Is. (Manus Is.).	do	E	567	17.95(f)	NA
Snail, Morro shoulderband (=Banded dune).	<i>Helminthoglypta walkeri</i>	U.S.A. (CA)	NA	E	680	17.95(f)	NA
Snail, Newcomb's	<i>Erinna newcombi</i>	U.S.A. (HI)	Entire	T	41	NA	NA
Snail, noonday	<i>Mesodon clarki nanahala</i>	U.S.A. (NC)	do	T	41	NA	NA
Snail, painted snake coiled forest	<i>Anguispira picta</i>	U.S.A. (TN)	do	E	485	NA	NA
Snail, Snake River physa	<i>Physa naticina</i>	U.S.A. (ID)	do	T	41	NA	NA
Snail, Stock Island tree	<i>Orthelicus reses</i> (not incl. resedyles).	U.S.A. (FL)	do	E	412	NA	NA
Snail, tulotoma	<i>Tulotoma magnifica</i>	U.S.A. (AL)	do	E	41	NA	NA
Snails, Oahu tree	<i>Polygyrus virginianus</i>	U.S.A. (VA)	do	E	108, 112	NA	NA
Springsnail, Alamosa	<i>Achatinella spp.</i>	U.S.A. (HI)	do	E	442	NA	NA
Springsnail, Bruneau Hot	<i>Tritona alamosae</i>	U.S.A. (NM)	do	E	489	NA	NA
Springsnail, Koster's	<i>Pyrgulopsis brunneaurata</i>	U.S.A. (ID)	NA	E	NA	NA	NA
Springsnail, Roswell	<i>Juturna kosteri</i>	U.S.A. (NM)	NA	E	NA	NA	NA
Springsnail, Socorro	<i>Pyrgulopsis roswellensis</i>do.....	E	442	NA	NA
Beetle, American burying	<i>Pyrgulopsis neomexicana</i>do.....	E	351	NA	NA
Beetle, Coffin Cave mold	<i>Nicrophorus americanus</i>	U.S.A. (eastern States south to FL, west to SD and TX), eastern Canada.	do	E	327, 513	NA	NA
Beetle, Comal Springs dryopid	<i>Batrisodes texanus</i>	U.S.A. (TX)	do	E	629	17.95(i)	NA
Beetle, delta green ground	<i>Stygopanus comalensis</i>do.....	NA	E	629	17.95(i)	NA
Beetle, Helotes mold	<i>Heterelmis comalensis</i>do.....	Entire	T	100	17.95(i)	NA
Beetle, Helotes mold water.	<i>Elaphrus viridis</i>	U.S.A. (CA)	NA	E	706	17.95(i)	NA
Beetle, Kretschmar Cave mold	<i>Batrisodes venusti</i>do.....	Entire	E	533	NA	NA
Beetle, Mount Hermon June	<i>Brychius hungerfordi</i>	U.S.A. (TX)	E	327, 513	NA	NA
Beetle, [no common name]	<i>Texamaurops reddelli</i>	U.S.A. (MI, Canada)	do	E	605	NA	NA
Beetle, [no common name]	<i>Polyphylla barbata</i>do.....	NA	E	706	17.95(i)	NA
Beetle, northeast beach tiger	<i>Rhadine exilis</i>	U.S.A. (TX)	do	T	396	17.95(i)	NA
Beetle, Ohione tiger	<i>Cicindela dorsalis dorsalis</i>	U.S.A. (CT, MA, MD, NJ, NY, PA, RI, VA), U.S.A. (CA)	Entire	E	713	NA	NA
	<i>Cicindela ohione</i> (CA)		NA				

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Beetle, Puritan tiger	<i>Cicindela puritana</i>	U.S.A. (CT, MA, MD, NH, VT)	Entire	NA
Beetle, Salt Creek tiger	<i>Cicindela nebratica lincoriana</i>	U.S.A. (NE)	do	17.95(i)
Beetle, Tooth Cave ground	<i>Rhadine persephone</i>	U.S.A. (TX)	do	NA
Beetle, valley elderberry long-horn.	<i>Desmocerus californicus dimorphus.</i>	U.S.A. (CA)	do	99
Butterfly, bay checkerspot	<i>Euphydryas editha bayensis</i>	do	do	17.95(i)
Butterfly, Behren's silverspot	<i>Speyeria zerene behrensi</i>	do	do	396
Butterfly, callippe silverspot	<i>Speyeria callippe callippe</i>	do	do	754
Butterfly, Corsican swallowtail	<i>Papilio hospiton</i>	Corsica, Sardinia	do	327
Butterfly, El Segundo blue	<i>Euphilotes batodaeus allynii</i>	U.S.A. (CA)	do	99
Butterfly, Fender's blue	<i>Icaricia icarioides fenderi</i>	U.S.A. (OR)	NA	17.95(i)
Butterfly, Homerus swallowtail	<i>Papilio homerus</i>	Jamaica	Entire	288
Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	U.S.A. (IL, IN, MA, MI, MN, NH, NY, OH, PA, WI), Canada (Ont).	do	628
Butterfly, Lange's metalmark	<i>Apodemia mormo langei</i>	U.S.A. (CA)	do	486
Butterfly, Iois blue	<i>Lycaenidae argyrogromon otis</i>	do	do	14
Butterfly, Luzon peacock swallowtail,	<i>Papilio cikiae</i>	Philippines	do	17.95(i)
Butterfly, mission blue	<i>Icaricia icarioides missionensis</i>	U.S.A. (CA)	do	T E
Butterfly, Mitchell's satyr	<i>Neonympha mitchelli mitchelli</i>	U.S.A. (IN, MI, NJ, OH)	do	E E
Butterfly, Myrtle's silverspot	<i>Speyeria zerene myrtiae</i>	U.S.A. (CA)	do	628
Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>	U.S.A. (OR, WA)	do	628
Butterfly, Palos Verdes blue	<i>Glaucopsyche lygdamus</i>	U.S.A. (CA)	do	486
Butterfly, Queen Alexandra's birdwing,	<i>Troides alexandrae</i>	Papua New Guinea	do	14
Butterfly, Quino checkerspot	<i>Euphydryas editha quino</i>	U.S.A. (CA), Mexico	do	486
Butterfly, Saint Francis' satyr	<i>Neonympha mitchelli fransiscoi</i>	U.S.A. (NC)	do	486
Butterfly, San Bruno elfin	<i>Callophrys mossii bayensis</i>	U.S.A. (CA)	do	486
Butterfly, Schaus swallowtail	<i>Heracles istodamus</i>	U.S.A. (FL)	do	486
Butterfly, Smith's blue	<i>Euphilotes enoplos smithi</i>	U.S.A. (CA)	do	486
Butterfly, Uncompahgre brilliant Damselfly, flying earwig Hawaiian.	<i>Boloria acrocnous</i>	U.S.A. (CO)	do	486
Damselfly, Pacific Hawaiian	<i>Megalagrion nesioles</i>	U.S.A. (HI)	do	486
Dragonfly, Hine's emerald	<i>Megalagrion pacificum</i>	do	do	486
Fly, Delhi Sands flower-loving	<i>Somatochila hineana</i>	U.S.A. (AL, IL, IN, MI, MO, OH, and WI).	do	486
	<i>Rhabdomides terminatus</i>	U.S.A. (CA)	Entire	486
	<i>abdominalis.</i>	do	do	486
	<i>Drosophila agajae</i>	U.S.A. (HI)	do	486
	<i>Drosophila differens</i>	do	do	486
	<i>Drosophila hemipeza</i>	do	do	486
	<i>Drosophila heteroneura</i>	do	do	486
	<i>Drosophila montgomeryi</i>	do	do	486
	<i>Drosophila mulli</i>	do	do	486
	<i>Drosophila musaphila</i>	do	do	486

§ 17.11

50 CFR Ch. I (10-1-10 Edition)

Species	Common name	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Fly, Hawaiian picture-wing	<i>Drosophila neoclaysetae</i>do	NA	E	756	17.95(i)	NA
Fly, Hawaiian picture-wing	<i>Drosophila obatalia</i>do	NA	E	756	17.95(i)	NA
Fly, Hawaiian picture-wing	<i>Drosophila ochrobasalis</i>do	NA	E	756	17.95(i)	NA
Fly, Hawaiian picture-wing	<i>Drosophila sharpii</i>do	NA	E	756	17.95(i)	NA
Fly, Hawaiian picture-wing	<i>Drosophila substenoptera</i>do	NA	E	756	17.95(i)	NA
Fly, Hawaiian picture-wing	<i>Drosophila tephryntchia</i>do	NA	E	756	17.95(i)	NA
Grasshopper, Zayante band-winged.	<i>Trimerotropis infantilis</i>	U.S.A. (CA)	E	605	17.95(i)	NA
Moth, Blackburn's sphinx	<i>Manduca blackburni</i>	U.S.A. (HI)	NA	E	682	17.95(i)	NA
Moth, Kern primrose sphinx	<i>Euprosopia eutenea</i>	U.S.A. (CA)	T	91	NA	NA
Nauconid, Ash Meadows	<i>Ambrysus amargosus</i>	U.S.A. (NV)	T	181	17.95(i)	NA
Skitter, Carson wandering	<i>Pseudocopaeodes eunus obscurus</i>	U.S.A. (CA, NV)	E	730	NA	NA
Skitter, Laguna Mountains	<i>Pyrgus ruralis lagunae</i>	U.S.A. (CA)	E
Skitter, Pawnee montane	<i>Hesperia leonardus montana</i>	U.S.A. (CO)	E	604	17.95(i)	NA
ARACHNIDS						289	NA	NA
Harvestman, Bee Creek Cave	<i>Texellula redelli</i>	U.S.A. (TX)do	E	327, 513	NA	NA
Harvestman, Bone Cave	<i>Texellula reyesi</i>do	NA	E	327, 513	NA	NA
Harvestman, Cokendolpher Cave	<i>Texellula cokendolpheri</i>do	NA	E	706	17.95(g)	NA
Meshweaver, Broken Bat Cave	<i>Circurina verii</i>do	NA	E	706	17.95(g)	NA
Meshweaver, Government Canyon Bat Cave	<i>Circurina vespera</i>do	NA	E	706	NA	NA
Meshweaver, Madla Cave	<i>Cicurina madla</i>do	NA	E	706	17.95(g)	NA
Meshweaver, Robber Baron Cave.	<i>Cicurina baronia</i>do	NA	E	706	17.95(g)	NA
Pseudoscorpion, Tooth Cave	<i>Tartarocreagris texana</i>do	E	327	NA	NA
Spider, Government Canyon Bat Cave.	<i>Neoleptoneta microps</i>do	NA	E	706	NA	NA
Spider, Kauai cave wolf	<i>Adelocosa aenescens</i>	U.S.A. (HI)	E	676	17.95(g)	NA
Spider, spruce-fir moss	<i>Microhexura montivaga</i>	U.S.A. (NC, TN)	E	576	17.95(g)	NA
Spider, Tooth Cave	<i>Neoleptoneta myopica</i>	U.S.A. (TX)	E	327	NA	NA
CRUSTACEANS								
Amphipod, Hay's Spring	<i>Stygobromus hayi</i>	U.S.A. (DC)do	E	115	NA	NA
Amphipod, Illinois cave	<i>Gammarus acheronides</i>	U.S.A. (IL)do	E	642	NA	NA
Amphipod, Kauai cave	<i>Spelaearachnia kolana</i>	U.S.A. (HI)	NA	E	676	17.95(h)	NA
Amphipod, Noel's	<i>Gammarus desperatus</i>	U.S.A. (NM)	NA	E	NA	NA	NA
Amphipod, Peck's cave	<i>Stygobromus (=Stygorectes) Pecki</i> .	U.S.A. (TX)	NA	E	629	17.95(h)	NA
Crayfish, cave	<i>Cambarus acutulum</i>	U.S.A. (AR)	E	499	NA	NA
Do	<i>Cambarus zophonastes</i>do	E	263	NA	NA
Crayfish, Nashville	<i>Orconectes shoupi</i>	U.S.A. (TN)do	E	242	NA	NA
Crayfish, Shasta	<i>Parastacus fortis</i>	U.S.A. (CA)do	E	337	NA	NA
Fairy shrimp, Conservancy	<i>Branchinecta conservatio</i>do	E	552	17.95(h)	NA
Fairy shrimp, Longhorn	<i>Branchinecta longitentaculum</i>do	E	552	17.95(h)	NA
Fairy shrimp, Riverside	<i>Streptopelma woottoni</i>do	E	512	17.95(h)	NA
Fairy shrimp, San Diego	<i>Branchinecta sandiegensis</i>do	NA	E	603	17.95(h)	NA

Fairy shrimp, vernal pool	<i>Branchinecta lynchii</i>	U.S.A. (CA, OR)	Entire	E	552	17.95(h)	NA
Isopod, Lee County cave	<i>Lirceus usdagalini</i>	U.S.A. (VA)	do	E	483	NA	NA
Isopod, Madison Cave	<i>Antrolana lira</i>do	T	123	NA	NA
Isopod, Socorro	<i>Thermosphaeroma themophilus</i>do	E	36	NA	NA
Shrimp, Alabama cave	<i>Palaemonias alabamae</i>	U.S.A. (AL)	do	E	323	NA	NA
Shrimp, California freshwater	<i>Syncaris pacifica</i>	U.S.A. (CA)	do	E	340	NA	NA
Shrimp, Kentucky cave	<i>Palaemonias ganteri</i>	U.S.A. (KY)	do	E	135	NA	NA
Shrimp, Squirrel Chimney Cave	<i>Palaemonetes cummingi</i>	U.S.A. (FL)	do	T	390	NA	NA
Tadpole shrimp, vernal pool	<i>Lepidurus packardi</i>	U.S.A. (CA)	do	E	552	17.95(h)	NA
<hr/>								
CORALS	<i>Acropora palmata</i>	T	756	NA	NA
<hr/>								
Coral, elkhorn
<hr/>								
Coral, staghorn	<i>Acropora cervicornis</i>	T	756	NA	NA
<hr/>								

Symbols used in the four left columns:
 ... Do... or do... (Dots) indicates the entry is the same as the column entry directly above.

Symbol used in the "When listed" column:
 A—Indicates a correction to the publication with the same "When listed" number.

D—Indicates FR where species was Delisted; relisting of the species is indicated by subsequent number(s).
 E—Indicated Emergency rule publication (see FR document for effective dates); subsequent number(s) indicate FR final rule, if applicable, under "When listed".

§ 17.11

1—32 FR 4001; March 11, 1967.
2—35 FR 16047; October 13, 1970.
3—35 FR 8495; June 2, 1970.
4—35 FR 18320; December 2, 1970.
5—37 FR 6176; March 28, 1972.
6—38 FR 14678; June 4, 1973.
7—39 FR 44991; December 30, 1974.
8—40 FR 29864; July 16, 1975.
9—40 FR 31736; July 28, 1975.
10—40 FR 44151; September 25, 1975.
11—40 FR 44418; September 26, 1975.
12—40 FR 47506; October 9, 1975.
13—41 FR 17740; April 28, 1976.
14—41 FR 22044; June 1, 1976.
15—41 FR 24064; June 14, 1976.
15A—41 FR 26019; June 24, 1976.
16—41 FR 45993; October 19, 1976.
17—41 FR 51021; November 19, 1976.
18—41 FR 51612; November 23, 1976.
19—41 FR 53034; December 3, 1976.
20—42 FR 2076; January 10, 1977.
21—42 FR 2968; January 14, 1977.
22—42 FR 15971; March 24, 1977.
24—42 FR 28545; June 3, 1977.
25—42 FR 37373; July 21, 1977.
26—42 FR 40685; August 11, 1977.
27—42 FR 42353; August 23, 1977.
28—42 FR 45528; September 9, 1977.
29—42 FR 58757; November 11, 1977.
30—42 FR 60745; November 29, 1977.
31—43 FR 3715; January 27, 1978.
32—43 FR 4028; January 31, 1978.
33—43 FR 4621; February 3, 1978.
34—43 FR 6233; February 14, 1978.
35—43 FR 9612; March 9, 1978.
36—43 FR 12691; March 27, 1978.
37—43 FR 15429; April 13, 1978.
38—43 FR 16345; April 18, 1978.
40—43 FR 20504; May 12, 1978.
41—43 FR 28932; July 3, 1978.
42—43 FR 32808; July 28, 1978.
43—43 FR 34480; August 4, 1978.
45—44 FR 21289; April 10, 1979.
46—44 FR 23064; April 17, 1979.
48—44 FR 29480; May 21, 1979.
50—44 FR 37126; June 25, 1979.
51—44 FR 37132; June 25, 1979.
52—44 FR 42911; July 20, 1979.
54—44 FR 49220; August 21, 1979.
60—44 FR 59084; October 12, 1979.
85—44 FR 69208; November 30, 1979.
86—44 FR 70677; December 7, 1979.
87—44 FR 75076; December 18, 1979.
88—45 FR 18010; March 20, 1980.
90—45 FR 21833; April 2, 1980.
91—45 FR 24090; April 8, 1980.
92—45 FR 27713; April 23, 1980.
93—45 FR 28722; April 30, 1980.
94—45 FR 35823; May 28, 1980.
95—45 FR 44938; July 2, 1980.
96—45 FR 44942; July 2, 1980.
97—45 FR 47353; July 14, 1980.
98—45 FR 47363; July 14, 1980.
99—45 FR 52806; August 8, 1980.
100—45 FR 52810; August 8, 1980.
102—45 FR 54680; August 15, 1980.
103—45 FR 55666; August 20, 1980.

50 CFR Ch. I (10-1-10 Edition)

105—45 FR 63820; September 25, 1980.
106—45 FR 65134; October 1, 1980.
108—46 FR 3182; January 13, 1981.
111—46 FR 11665; February 10, 1981.
112—46 FR 40025; August 6, 1981.
113—46 FR 40669; August 10, 1981.
114—47 FR 4211; January 28, 1982.
115—47 FR 5427; February 5, 1982.
117—47 FR 19999; May 10, 1982.
119—47 FR 31672; July 21, 1982.
123—47 FR 43701; October 4, 1982.
124—47 FR 43962; October 5, 1982.
125—47 FR 46093; October 15, 1982.
127—48 FR 612; January 5, 1983.
128—48 FR 1726; January 14, 1983.
129—48 FR 28464; June 22, 1983.
130—48 FR 40184; September 2, 1983.
131—48 FR 43043; September 21, 1983.
132—48 FR 46057; October 11, 1983.
134—48 FR 46336; October 12, 1983.
135—48 FR 46341; October 12, 1983.
136—48 FR 49249; October 25, 1983.
138—49 FR 1994; January 17, 1984.
139—49 FR 2783; January 23, 1984.
142—49 FR 7335; February 28, 1984.
143—49 FR 7394; February 29, 1984.
144—49 FR 7398; February 29, 1984.
145—49 FR 10526; March 20, 1984.
146—49 FR 14356; April 11, 1984.
149—49 FR 22330; May 29, 1984.
150—49 FR 27514; July 5, 1984.
156—49 FR 33885; August 27, 1984.
157—49 FR 34494; August 31, 1984.
159—49 FR 34504; August 31, 1984.
160—49 FR 34510; August 31, 1984.
161—49 FR 35954; September 13, 1984.
163—49 FR 43069; October 26, 1984.
164—49 FR 43969; November 1, 1984.
166—49 FR 45163; November 15, 1984.
168—49 FR 49639; December 21, 1984.
169—50 FR 1056; January 9, 1985.
170—50 FR 4226; January 30, 1985.
171—50 FR 4945; February 4, 1985.
173—50 FR 12302; March 28, 1985.
174—50 FR 12305; March 28, 1985.
181—50 FR 20786; May 20, 1985.
182—50 FR 21792; May 28, 1985.
183—50 FR 23884; June 6, 1985.
184—50 FR 24530; June 11, 1985.
185—50 FR 24653; June 12, 1985.
186—50 FR 25678; June 20, 1985.
188—50 FR 26575; June 27, 1985.
189—50 FR 27002; July 1, 1985.
193—50 FR 30194; July 24, 1985.
195—50 FR 31596; August 5, 1985.
196—50 FR 31603; August 5, 1985.
203—50 FR 37198; September 12, 1985.
205—50 FR 39117; September 27, 1985.
206—50 FR 39123; September 27, 1985.
210—50 FR 50308; December 10, 1985.
211—50 FR 50733; December 11, 1985.
212—50 FR 51252; December 16, 1985.
216—51 FR 6690; February 25, 1986.
222—51 FR 10850; March 31, 1986.
223—51 FR 10857; March 31, 1986.
224—51 FR 10864; March 31, 1986.
227—51 FR 16047; April 30, 1986.

U.S. Fish and Wildlife Serv., Interior**§ 17.11**

- 228—51 FR 16482; May 2, 1986.
233—51 FR 17980; May 16, 1986.
236—51 FR 23781; July 1, 1986.
239—51 FR 27495; July 31, 1986.
241—51 FR 31422; September 3, 1986.
242—51 FR 34412; September 26, 1986.
246—51 FR 34425; September 26, 1986.
247—51 FR 39478; October 28, 1986.
248—51 FR 41796; November 19, 1986.
250—51 FR 45910; December 23, 1986.
251—52 FR 28; January 5, 1987.
258—52 FR 5302; February 20, 1987.
262—52 FR 11169; April 7, 1987.
263—52 FR 11172; April 7, 1987.
265—52 FR 11286; April 8, 1987.
267—52 FR 20719; June 3, 1987.
268—52 FR 20999; June 3, 1987.
269—52 FR 21063; June 4, 1987.
272—52 FR 22430; June 11, 1987.
273—52 FR 22585; June 12, 1987.
278—52 FR 22943; June 16, 1987.
279—52 FR 23151; June 17, 1987.
280—52 FR 25232; July 6, 1987.
281—52 FR 25380; July 7, 1987.
282—52 FR 28785; August 3, 1987.
283—52 FR 28831; August 4, 1987.
284—52 FR 29780; August 11, 1987.
287—52 FR 35040; September 16, 1987.
288—52 FR 35378; September 18, 1987.
289—52 FR 36180; September 25, 1987.
290—52 FR 36038; September 25, 1987.
292—52 FR 36779; October 1, 1987.
294—52 FR 37423; October 6, 1987.
296—52 FR 42068; November 2, 1987.
299—52 FR 42662; November 6, 1987.
304—53 FR 3570; February 5, 1988.
312—53 FR 25611; July 8, 1988.
313—53 FR 27134; July 18, 1988.
316—53 FR 27693; July 22, 1988.
317—53 FR 29337; August 4, 1988.
320—53 FR 33992; September 1, 1988.
322—53 FR 33998; September 1, 1988.
323—53 FR 34698; September 7, 1988.
327—53 FR 36033; September 16, 1988.
328—53 FR 37970; September 28, 1988.
334—53 FR 38453; September 30, 1988.
336—53 FR 38460; September 30, 1988.
337—53 FR 38465; September 30, 1988.
338—53 FR 38469; September 30, 1988.
340—53 FR 43889; October 31, 1988.
342—53 FR 45865; November 14, 1988.
345—54 FR 8341; February 28, 1989.
348—54 FR 15208; April 17, 1989.
349—54 FR 20602; May 12, 1989.
350—54 FR 22906; May 30, 1989.
351—54 FR 29655; July 13, 1989.
357—54 FR 32331; August 4, 1989.
358—54 FR 34468; August 18, 1989.
359—54 FR 34472; August 18, 1989.
361—54 FR 35311; August 24, 1989.
364—54 FR 38951; September 21, 1989.
365—54 FR 39849; September 28, 1989.
366—54 FR 39853; September 28, 1989.
369—54 FR 40112; September 29, 1989.
370—54 FR 41453; October 10, 1989.
371—54 FR 43969; October 30, 1989.
372—54 FR 47861; November 17, 1989.
376—55 FR 9136; March 12, 1990.
377—55 FR 9451; March 14, 1990.
378—55 FR 12191; April 2, 1990.
382—55 FR 12801; April 5, 1990.
383—55 FR 12832; April 6, 1990.
384—55 FR 13488; April 10, 1990.
387—55 FR 18845; May 4, 1990.
388—55 FR 21153; May 22, 1990.
390—55 FR 25591; June 21, 1990.
391—55 FR 25595; June 21, 1990.
393—55 FR 26194; June 26, 1990.
394—55 FR 28213; July 10, 1990.
396—55 FR 32094; August 7, 1990.
399—55 FR 36647; September 6, 1990.
400—55 FR 39416; September 27, 1990.
401—55 FR 39860; September 28, 1990.
404—55 FR 39872; September 28, 1990.
405—55 FR 42966; October 25, 1990.
407—55 FR 49623; November 30, 1990.
408—55 FR 50006; December 4, 1990.
410—55 FR 51112; December 12, 1990.
411—55 FR 53160; December 27, 1990.
412—56 FR 800; January 9, 1991.
415—56 FR 1459; January 14, 1991.
416—56 FR 1463; January 14, 1991.
417—56 FR 1463; January 14, 1991.
419—56 FR 13600; April 3, 1991.
421—56 FR 19814; April 30, 1991.
423—56 FR 21087; May 7, 1991.
426—56 FR 28349; June 20, 1991.
427—56 FR 28717; June 24, 1991.
428—56 FR 28828; June 25, 1991.
431—56 FR 37671; August 8, 1991.
432—56 FR 42027; August 14, 1991.
433—56 FR 41488; August 21, 1991.
442—56 FR 49649; September 30, 1991.
443—56 FR 49653; September 30, 1991.
444—56 FR 49658; September 30, 1991.
446—56 FR 54957; October 23, 1991.
447—56 FR 54967; October 23, 1991.
449—56 FR 56333; November 4, 1991.
454—56 FR 64723; December 12, 1991.
455—57 FR 213; January 3, 1992.
456—57 FR 594; January 7, 1992.
459—57 FR 13661; April 17, 1992.
462—57 FR 14790; April 22, 1992.
469—57 FR 21569; May 20, 1992.
472—57 FR 27858; June 22, 1992.
475—57 FR 28024; June 23, 1992.
477—57 FR 44340; September 25, 1992.
479—57 FR 45337; October 1, 1992.
483—57 FR 54726; November 20, 1992.
484—57 FR 59244; December 14, 1992.
485—57 FR 59257; December 14, 1992.
486—58 FR 4359; January 14, 1993.
487—58 FR 5657; January 22, 1993.
488—58 FR 5642; January 22, 1993.
489—58 FR 5946; January 25, 1993.
492—58 FR 12863; March 5, 1993.
493—58 FR 12874; March 5, 1993.
494—58 FR 14271; March 16, 1993.
495—58 FR 14339; March 17, 1993.
496—58 FR 16757; March 30, 1993.
499—58 FR 25746; April 27, 1993.
502—58 FR 25763; April 27, 1993.
503—58 FR 27480; May 10, 1993.
505—58 FR 34931; June 30, 1993.

§ 17.11

508—58 FR 40538; July 28, 1993.
512—58 FR 41391; August 3, 1993.
513—58 FR 43819; August 18, 1993.
514—58 FR 49874; September 23, 1993.
516—58 FR 49880; September 23, 1993.
517—58 FR 49887; September 23, 1993.
518—58 FR 49937; September 24, 1993.
520—58 FR 53804; October 18, 1993.
522—58 FR 54065; October 20, 1993.
525—58 FR 68486; December 27, 1993.
526—59 FR 5310; February 3, 1994.
527—59 FR 5498; February 4, 1994.
533—59 FR 10584; March 7, 1994.
534—59 FR 13836; March 23, 1994.
538—59 FR 17998; April 15, 1994.
539—59 FR 18327; April 18, 1994.
540—59 FR 31095; June 16, 1994.
543—59 FR 36995; July 20, 1994.
545—59 FR 42691; August 18, 1994.
546—59 FR 42711; August 18, 1994.
549—59 FR 46002; September 6, 1994.
550—59 FR 46715; September 9, 1994.
552—59 FR 48153; September 19, 1994.
554—59 FR 49764; September 29, 1994.
557—59 FR 54841; November 2, 1994.
561—59 FR 60264; November 22, 1994.
562—59 FR 60279; November 22, 1994.
563—59 FR 60334; November 23, 1994.
566—59 FR 63264; December 8, 1994.
567—59 FR 64623; December 15, 1994.
568—59 FR 64866; December 16, 1994.
569—59 FR 65512; December 20, 1994.
571—60 FR 2903; January 12, 1995.
573—60 FR 5273; January 26, 1995.
574—60 FR 5267; January 26, 1995.
576—60 FR 6974; February 6, 1995.
577—60 FR 10715; February 17, 1995.
579—60 FR 18947; April 13, 1995.
580—60 FR 36010; July 12, 1995.
582—61 FR 11332; March 20, 1996.
583—61 FR 25832; May 23, 1996.
585—61 FR 32366; June 24, 1996.
588—61 FR 48413; September 13, 1996.
597—61 FR 54056; October 16, 1996.
598—61 FR 59028; November 20, 1996.
600—62 FR 689; January 6, 1997.
602—62 FR 1657; January 10, 1997.
604—62 FR 2322; January 16, 1997.
605—62 FR 3628; January 24, 1997.
607—62 FR 4191; January 29, 1997.
608—62 FR 4939; February 3, 1997.
610—62 FR 10746; March 10, 1997.
612—62 FR 23392; April 30, 1997.
614—62 FR 30772; June 5, 1997.
616—62 FR 31757; June 11, 1997.
617—62 FR 31761; June 11, 1997.
618—62 FR 33038; June 18, 1997.
621—62 FR 38939; July 21, 1997.
622—62 FR 39157; July 22, 1997.
626—62 FR 59622; November 4, 1997.
628—62 FR 64320; December 5, 1997.
629—62 FR 66303; December 18, 1997.
630—63 FR 694; January 7, 1998.
631—63 FR 1763; January 12, 1998.
632—63 FR 3843; January 27, 1998.
633—63 FR 12687; March 16, 1998.
634—63 FR 13150; March 18, 1998.

50 CFR Ch. I (10-1-10 Edition)

636—63 FR 26530; May 13, 1998.
637—63 FR 31674; June 10, 1998.
638—63 FR 32997; June 17, 1998.
639—63 FR 42762; August 11, 1998.
642—63 FR 46909; September 3, 1998.
645—63 FR 51016; September 24, 1998.
646—63 FR 52837; October 1, 1998.
651—63 FR 57619; October 28, 1998.
653—63 FR 64799; November 23, 1998.
654—63 FR 69021; December 15, 1998.
655—63 FR 70062; December 18, 1998.
656—64 FR 5981; February 8, 1999.
658—64 FR 15704; April 1, 1999.
659—64 FR 17124; April 8, 1999.
660—64 FR 19308; April 20, 1999.
664—64 FR 41836; August 2, 1999.
665—64 FR 47134; August 30, 1999.
669—64 FR 56608; October 20, 1999.
670—64 FR 58932; November 1, 1999.
674—64 FR 72960; December 29, 1999.
675—65 FR 30; January 3, 2000.
676—65 FR 2357; January 14, 2000.
677—65 FR 3109; January 19, 2000.
679—65 FR 3890; January 25, 2000.
680—65 FR 4169; January 26, 2000.
682—65 FR 4779; February 1, 2000.
687—65 FR 8889; February 23, 2000.
688—65 FR 10039; February 25, 2000.
692—65 FR 16085; March 24, 2000.
693—65 FR 17786; April 5, 2000.
694—65 FR 19698; April 12, 2000.
695—65 FR 25879; May 4, 2000.
696—65 FR 20769; April 18, 2000.
697—65 FR 26461; May 5, 2000.
698—65 FR 26771; May 9, 2000.
700—65 FR 46654; July 31, 2000.
701—65 FR 51478; September 7, 2000.
702—65 FR 57264; September 21, 2000.
703—65 FR 60885; October 13, 2000.
705—65 FR 69481; November 17, 2000.
706—65 FR 69637; November 17, 2000.
707—65 FR 81433; December 26, 2000.
709—66 FR 32257; June 14, 2001.
710—66 FR 33915; June 26, 2001.
713—66 FR 50350; October 3, 2001.
714—66 FR 51339; October 9, 2001.
715—66 FR 59373; November 28, 2001.
716—66 FR 59545; November 29, 2001.
718—66 FR 63002; December 4, 2001.
719—66 FR 66811; December 27, 2001.
724—67 FR 37721; May 30, 2002.
725—70 FR 3459; January 24, 2005.
726—67 FR 40811; June 13, 2002.
728—67 FR 44392; July 2, 2002.
729—67 FR 47739; July 22, 2002.
730—67 FR 51129; August 7, 2002.
731—67 FR 52889; August 14, 2002.
732—67 FR 52426; August 12, 2002.
734—68 FR 13520; March 19, 2003.
735—68 FR 15872; April 1, 2003.
738—68 FR 43658; July 24, 2003.
740—69 FR 70190; December 17, 2003.
741—69 FR 3028; January 22, 2004.
742—70 FR 67928; November 9, 2005.
743—70 FR 10485; March 4, 2005.
744—69 FR 47248; August 4, 2004.
745—70 FR 1285; January 6, 2005.

U.S. Fish and Wildlife Serv., Interior

747—70 FR 17916; April 8, 2005.
748—70 FR 69465; November 16, 2005.
754—70 FR 58350; October 6, 2005.
755—70 FR 66706; November 2, 2005.
756—71 FR 26851; May 9, 2006.
757—71 FR 40673; July 18, 2006.
758—71 FR 42314; July 26, 2006.
759—72 FR 14938; March 29, 2007.
760—73 FR 3178; January 16, 2008.
761—73 FR 74370; December 8, 2008.
763—74 FR 46930; September 14, 2009.
764—74 FR 52010; October 8, 2009.
765—75 FR 19045; April 13, 2010.
766—75 FR 249; January 5, 2010.
767—75 FR 43853, 43864; July 27, 2010.
769—75 FR 21188; April 23, 2010.
771—75 FR 45526; August 3, 2010.
778—75 FR 53604; September 1, 2010.

EDITORIAL NOTE 1: For FEDERAL REGISTER citations affecting the table in § 17.11(h), see the listing above.

Species		Historic range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Common name	Scientific name						
*	*	*	*	*	*	*	*
BIRDS							
Penguin, African.	<i>Spheniscus demersus</i>	Atlantic Ocean—South Africa, Namibia.	*	Entire	E ...	775 NA NA
*	*	*	*	*	*	*	*

§ 17.12 Endangered and threatened plants.

(a) The list in this section contains the names of all species of plants which have been determined by the Services to be Endangered or Threatened. It also contains the names of species of plants treated as Endangered or Threatened because they are sufficiently similar in appearance to Endangered or Threatened species (see § 17.50 *et seq.*).

(b) The columns entitled "Scientific name" and "Common name" define the species of plant within the meaning of the Act. Although common names are included, they cannot be relied upon for identification of any specimen, since they may vary greatly in local usage. The Services shall use the most recently accepted scientific name. In cases in which confusion might arise, a synonym(s) will be provided in parentheses. The Services shall rely to the

extent practicable on the *International Code of Botanical Nomenclature*.

(c) In the "Status" column the following symbols are used: "E" for Endangered, "T" for Threatened, and "E [or T] (S/A)" for similarity of appearance species.

(d) The other data in the list are non-regulatory in nature and are provided for the information of the reader. In the annual revision and compilation of this title, the following information may be amended without public notice: the spelling of species' names, historical range, footnotes, references to certain other applicable portions of this title, synonyms, and more current names. In any of these revised entries, neither the species, as defined in paragraph (b) of this section, nor its status may be changed without following the procedures of part 424 of this title.

(e) The "Historic range" indicates the known general distribution of the

§ 17.12

EDITORIAL NOTE 2: For FEDERAL REGISTER citations affecting § 17.11, see the List of CFR Sections Affected, which appears in the Finding Aids section of the printed volume and on GPO Access.

EFFECTIVE DATE NOTE: At 75 FR 59656, Sept. 28, 2010, § 17.11 was amended by adding a new entry for "Penguin, African," in alphabetical order under BIRDS to the List of Endangered and Threatened Wildlife, effective Oct. 29, 2010. For the convenience of the user, the added text is set forth as follows:

§ 17.11 Endangered and threatened wildlife.

* * *

(h) * * *